

BARCODE INDUSTRIAL SYSTEMS  
STOCK TAGS &  
LABELS

*Pricing effective August 2013*



The logo for Barcode Industrial Systems (BIS) features the letters 'BIS' in a bold, blue, sans-serif font. A red swoosh underline is positioned beneath the letters, starting under the 'B' and ending under the 'S'.



BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

**8" O.D. Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core** (continued)

<b>NEW!</b>	BT-275-125-4450-3	2.750	X	1.250	1	3	4450	N/A	8	OH
<b>NEW!</b>	BT-3-075-7500-3	3.000	X	0.750	1	3	7500	N/A	8	OH
	BT-3-1-5500-3	3.000	X	1.000	1	3	5500	33	8	OH, AZ, WI
	BT-3-15-3600-3	3.000	X	1.500	1	3	3600	32	8	OH, AZ, WI
	BT-3-2-3000-3	3.000	X	2.000	1	3	3000	36	8	OH, AZ, WI
	BT-3-3-2000-3	3.000	X	3.000	1	3	2000	35	8	OH, AZ
	BT-3-35-1700-3	3.000	X	3.500	1	3	1700	34	8	OH
	BT-3-4-1500-3	3.000	X	4.000	1	3	1500	36	8	OH
	BT-3-5-1200-3	3.000	X	5.000	1	3	1200	35	8	OH, AZ
<b>NEW!</b>	BT-3-6-1000-3	3.000	X	6.000	1	3	1000	N/A	4	OH
	BT-3125-5-1180-3	3.125	X	5.000	1	3	1180	18	4	OH
<b>NEW!</b>	BT-325-2-2900-3	3.250	X	2.000	1	3	2900	N/A	8	OH
	BT-35-1-5500-3	3.500	X	1.000	1	3	5500	20	4	OH, AZ, WI
	BT-35-15-3600-3	3.500	X	1.500	1	3	3600	19	4	OH, AZ
	BT-35-2-3000-3	3.500	X	2.000	1	3	3000	20	4	OH, AZ
<b>NEW!</b>	BT-35-25-2500-3	3.500	X	2.500	1	3	2500	N/A	4	OH
<b>NEW!</b>	BT-35-5-1200-3	3.500	X	5.000	1	3	1200	N/A	4	OH
	BT-35-8-750-3	3.500	X	8.000	1	3	750	20	4	OH
	BT-4-1-5500-3	4.000	X	1.000	1	3	5500	23	4	OH, AZ
	BT-4-15-3600-3	4.000	X	1.500	1	3	3600	21	4	OH, AZ, WI
	BT-4-2-2900-3	4.000	X	2.000	1	3	2900	23	4	OH, AZ, WI
	BT-4-2-2900-NP <b>No Perf</b>	4.000	X	2.000	1	3	2900	23	4	OH, AZ, WI
	BT-4-225-2575-3	4.000	X	2.250	1	3	2575	22	4	OH
	BT-4-25-2500-3	4.000	X	2.500	1	3	2500	26	4	OH, AZ
	BT-4-3-1900-3	4.000	X	3.000	1	3	1900	22	4	OH, AZ, WI
	BT-4-3-1900-NP <b>No Perf</b>	4.000	X	3.000	1	3	1900	22	4	OH, AZ, WI
	BT-4-4-1500-3	4.000	X	4.000	1	3	1500	23	4	OH, AZ, WI
	BT-4-5-1200-3	4.000	X	5.000	1	3	1200	22	4	OH, WI
	BT-4-6-1000-3	4.000	X	6.000	1	3	1000	24	4	OH, AZ, WI
	BT-4-6-1000-NP <b>No Perf</b>	4.000	X	6.000	1	3	1000	24	4	OH, AZ
	BT-4-65-900-3	4.000	X	6.500	1	3	900	23	4	OH, AZ, WI
	BT-4-8-750-3	4.000	X	8.000	1	3	750	24	4	OH, AZ
	BT-4-10-600-3	4.000	X	10.000	1	3	600	22	4	OH
<b>NEW!</b>	BT-4-12-500-3	4.000	X	12.000	1	3	500	N/A	4	OH
	BT-4-13-450-3	4.000	X	13.000	1	3	450	24	4	OH
	BT-45-25-2500-3	4.500	X	2.500	1	3	2500	30	4	OH
	BT-45-3-1900-3	4.500	X	3.000	1	3	1900	24	4	OH
	BT-45-45-1400-3	4.500	X	4.500	1	3	1400	27	4	OH
	BT-45-5-1200-3	4.500	X	5.000	1	3	1200	26	4	OH
	BT-45-6-995-3	4.500	X	6.000	1	3	995	26	4	OH, WI
	BT-5-25-2500-3	5.000	X	2.500	1	3	2500	30	4	OH
	BT-5-3-1900-3	5.000	X	3.000	1	3	1900	28	4	OH, AZ
	BT-5-4-1500-3	5.000	X	4.000	1	3	1500	30	4	OH, WI

continued...

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

**8" O.D. Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core** (continued)

<b>NEW!</b>	BT-5-8-750-3	5.000	X	8.000	1	3	750	N/A	4	OH
	BT-6-4-1500-3	6.000	X	4.000	1	3	1500	35	4	OH, AZ, WI
	BT-6-6-1000-3	6.000	X	6.000	1	3	1000	38	4	OH
<b>NEW!</b>	BT-6-8-750-3	6.000	X	8.000	1	3	750	N/A	4	OH
	BT-65-4-1500-3	6.500	X	4.000	1	3	1500	36	4	OH
	BT-85-6-1000-3	8.500	X	6.000	1	3	1000	50	4	OH

BIS Part #	Width Inches	X	Length Feet	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	--------------	---	-------------	--------	-----------	---------------	------------------	--------------	--------------------

**8" O.D. Topcoated Thermal Transfer Continuous Roll, No Perf, Wound Out, 3" Core**

<b>NEW!</b>	BT-4-500-1-3 <b>Continuous</b>	4.000	X	500'	1	3	1	N/A	4	OH
-------------	--------------------------------	-------	---	------	---	---	---	-----	---	----

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

**8" O.D. Topcoated Thermal Transfer, Perfed Each, Wound In, 3" Core**

	BT-4-6-1000-IN	4.000	X	6.000	1	3	1000	24	4	OH, WI
--	----------------	-------	---	-------	---	---	------	----	---	--------

**6" O.D. Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core**

	BT-3-2-1475-3	3.000	X	2.000	1	3	1475	20	8	OH
	BT-4-3-975-3	4.000	X	3.000	1	3	975	26	8	OH
	BT-4-4-750-3	4.000	X	4.000	1	3	750	24	8	OH
	BT-4-6-525-3	4.000	X	6.000	1	3	525	26	8	OH

**5" O.D. Topcoated Thermal Transfer, Perfed Each, Wound Out, 1" Core**

	BT-2-1-2500-1	2.000	X	1.000	1	1	2500	16	12	OH, WI
	BT-225-125-2100-1	2.250	X	1.250	1	1	2100	19	12	OH, AZ, WI
	BT-25-1-2500-1	2.500	X	1.000	1	1	2500	30	12	OH, WI
	BT-3-1-2500-1	3.000	X	1.000	1	1	2500	23	12	OH, AZ, WI
	BT-3-3-890-1	3.000	X	3.000	1	1	890	24	12	OH, WI
	BT-35-1-2500-1	3.500	X	1.000	1	1	2500	27	12	OH, WI
	BT-4-1-2500-1	4.000	X	1.000	1	1	2500	30	12	OH, WI
	BT-4-15-1800-1	4.000	X	1.500	1	1	1800	30	12	OH, AZ, WI
	BT-4-2-1320-1	4.000	X	2.000	1	1	1320	32	12	OH, WI
	BT-4-3-890-1	4.000	X	3.000	1	1	890	31	12	OH, AZ, WI
	BT-4-4-700-1	4.000	X	4.000	1	1	700	33	12	OH, WI
	BT-4-6-460-1	4.000	X	6.000	1	1	460	33	12	OH, AZ, WI
	BT-4-65-380-1	4.000	X	6.500	1	1	380	29	12	OH, WI

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

**4" O.D. Topcoated Thermal Transfer, Perfed Each, Wound Out, 1" Core**

<b>NEW!</b>	BT-15-1-1375-1	1.500	X	1.000	1	1	1375	N/A	12	OH
	BT-2-1-1375-1	2.000	X	1.000	1	1	1375	9	12	OH, WI
	BT-225-125-1135-1	2.250	X	1.250	1	1	1135	10	12	OH, AZ, WI
<b>NEW!</b>	BT-225-2-735-1	2.250	X	2.000	1	1	735	N/A	12	OH
	BT-25-1-1375-1	2.500	X	1.000	1	1	1375	12	12	OH, WI
	BT-3-1-1375-1	3.000	X	1.000	1	1	1375	14	12	OH, AZ, WI
<b>NEW!</b>	BT-3-2-735-1	3.000	X	2.000	1	1	735	N/A	12	OH
	BT-3-3-500-1	3.000	X	3.000	1	1	500	13	12	OH, WI
<b>NEW!</b>	BT-3-5-300-1	3.000	X	5.000	1	1	300	N/A	12	OH
	BT-35-1-1375-1	3.500	X	1.000	1	1	1375	16	12	OH, WI
	BT-4-1-1375-1	4.000	X	1.000	1	1	1375	17	12	OH, WI
	BT-4-15-960-1	4.000	X	1.500	1	1	960	17	12	OH, AZ, WI
	BT-4-2-735-1	4.000	X	2.000	1	1	735	18	12	OH, WI
	BT-4-3-500-1	4.000	X	3.000	1	1	500	18	12	OH, AZ, WI
	BT-4-4-380-1	4.000	X	4.000	1	1	380	18	12	OH, WI
	BT-4-6-250-1	4.000	X	6.000	1	1	250	17	12	OH, AZ, WI
	BT-4-65-230-1	4.000	X	6.500	1	1	230	17	12	OH, WI

### Thermal Transfer Fanfold Stacks

BIS Part #	Width	X	Length	Labels / Fold	FF= Fanfold	Labels / Stack	Approx Wt / Case	Labels / Case	Stocking Locations
------------	-------	---	--------	---------------	-------------	----------------	------------------	---------------	--------------------

**Fanfold Stacks, Topcoated Thermal Transfer, Perfed Each**

	BT-3-2-7500-FF	3.000	X	2.000	5	FF	7500	22	15,000	OH
	BT-3-5-1250-FF	3.000	X	5.000	2	FF	1250	10	2500	OH
	BT-4-1-10500-FF	4.000	X	1.000	10	FF	10,500	22	21,000	OH
	BT-4-2-2500-FF	4.000	X	2.000	5	FF	2500	10	5000	OH
	BT-4-3-2500-FF	4.000	X	3.000	4	FF	2500	14	5000	OH
	BT-4-4-2500-FF	4.000	X	4.000	3	FF	2500	18	5000	OH, WI
	BT-4-6-2000-FF	4.000	X	6.000	2	FF	2000	22	4000	OH, WI, AZ
	BT-4-65-2000-FF	4.000	X	6.500	2	FF	2000	24	4000	OH
	BT-4-8-1000-FF	4.000	X	8.000	1	FF	1000	20	2000	OH
	BT-6-4-1500-FF	6.000	X	4.000	3	FF	1500	18	3000	OH

### Thermal Transfer Tags

BIS Part #	Width	X	Length	Labels / Fold	FF= Fanfold	Labels / Roll	Approx Wt / Case	Stacks / Case	Stocking Locations
------------	-------	---	--------	---------------	-------------	---------------	------------------	---------------	--------------------

**7 pt. Thermal Transfer C15 Tag Stock (Notches at Perf for Sensing), Fanfold**

	BTAG-3-15-4000-FF *	3.000	X	1.500	1	FF	8000	10	2	OH
	BTAG-4-3-2000-FF	4.000	X	3.000	1	FF	4000	14	2	OH
	BTAG-4-6-1000-FF	4.000	X	6.000	1	FF	4000	24	4	OH
	BTAG-4-65-1000-FF	4.000	X	6.500	1	FF	4000	28	4	OH

\* Tags with Horseshoe Hang Hole

## Thermal Transfer Specialty Materials

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

**8" O.D. Removable Adhesive, Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core**

<b>NEW!</b>	BE-15-1-5500-3	1.500	X	1.000	1	3	5500	N/A	8	OH
	BE-2-1-5500-3	2.000	X	1.000	1	3	5500	33	8	OH
	BE-3-1-5500-3	3.000	X	1.000	1	3	5500	33	8	OH
<b>NEW!</b>	BE-3-5-1200-3	3.000	X	5.000	1	3	1200	N/A	8	OH
<b>NEW!</b>	BE-35-15-3600-3	3.500	X	1.500	1	3	3600	N/A	4	OH
<b>NEW!</b>	BE-4-1-5500-3	4.000	X	1.000	1	3	5500	N/A	4	OH
	BE-4-2-2900-3	4.000	X	2.000	1	3	2900	23	4	OH
<b>NEW!</b>	BE-4-3-1900-3	4.000	X	3.000	1	3	1900	N/A	4	OH
<b>NEW!</b>	BE-4-4-1500-3	4.000	X	4.000	1	3	1500	N/A	4	OH
	BE-4-6-1000-3	4.000	X	6.000	1	3	1000	24	4	OH, AZ

**8" O.D. Hammerlock Adhesive (very aggressive), Topcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core**

<b>NEW!</b>	BH-4-2-2900-3	4.000	X	2.000	1	3	2900	N/A	4	OH
<b>NEW!</b>	BH-4-6-1000-3	4.000	X	6.000	1	3	1000	N/A	4	OH

**Smudge Proof Kimdura, 8" O.D., Perfed Each, Wound Out, 3" Core**

	BK-2-1-5150-3	2.000	X	1.000	1	3	5150	22	8	OH
	BK-4-2-2730-3	4.000	X	2.000	1	3	2730	22	4	OH
	BK-4-6-950-3	4.000	X	6.000	1	3	950	28	4	OH

**Matte Polypropylene Film (Synthetic), 8" O.D., Perfed Each, Wound Out, 3" Core**

<b>NEW!</b>	BSP-2-1-5150-3	2.000	X	1.000	1	3	5150	22	8	OH
	BSP-3-2-2750-3	3.000	X	2.000	1	3	2750	N/A	8	OH
	BSP-4-2-2730-3	4.000	X	2.000	1	3	2730	22	4	OH
<b>NEW!</b>	BSP-4-3-2000-3	4.000	X	3.000	1	3	2000	N/A	4	OH
<b>NEW!</b>	BSP-4-4-1500-3	4.000	X	4.000	1	3	1500	N/A	4	OH
	BSP-4-6-950-3	4.000	X	6.000	1	3	950	28	4	OH
<b>NEW!</b>	BSP-4-65-950-3	4.000	X	6.500	1	3	950	N/A	4	OH

**2 Mil. White Gloss Polyester, 8" O.D., Perfed Each, Wound Out, 3" Core**

	BP-15-075-7500-3	1.500	X	0.750	1	3	7500	20	8	OH
	BP-15-075-15000-3	1.500	X	0.750	2	3	15,000	20	4	OH
	BP-175-05-10000-3	1.750	X	0.500	1	3	10,000	22	8	OH
	BP-175-05-10000-NP No Perf	1.750	X	0.500	1	3	10,000	22	8	OH
	BP-2-1-5000-3	2.000	X	1.000	1	3	5000	22	8	OH
	BP-2-1-5000-NP No Perf	2.000	X	1.000	1	3	5000	22	8	OH
	BP-3-1-5000-3	3.000	X	1.000	1	3	5000	34	8	OH
<b>NEW!</b>	BP-3-2-3000-3	3.000	X	2.000	1	3	3000	N/A	4	OH
	BP-4-1-5000-3	4.000	X	1.000	1	3	5000	26	4	OH
	BP-4-2-3000-3	4.000	X	2.000	1	3	3000	28	4	OH
	BP-4-6-1050-3	4.000	X	6.000	1	3	1050	28	4	OH

## Floodcoated Thermal Transfer Labels

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

### 8" O.D. Floodcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core

<b>NEW!</b>	BFC-2-1-5500-YL	Yellow	2.000	X	1.000	1	3	5500	N/A	8	OH
<b>NEW!</b>	BFC-2-1-5500-PK	Pink	2.000	X	1.000	1	3	5500	N/A	8	OH
<b>NEW!</b>	BFC-2-1-5500-RD	Red	2.000	X	1.000	1	3	5500	N/A	8	OH
<b>NEW!</b>	BFC-2-1-5500-BL	Blue	2.000	X	1.000	1	3	5500	N/A	8	OH
<b>NEW!</b>	BFC-2-1-5500-GR	Green	2.000	X	1.000	1	3	5500	N/A	8	OH
<b>NEW!</b>	BFC-2-1-5500-OR	Orange	2.000	X	1.000	1	3	5500	N/A	8	OH
<b>NEW!</b>	BFC-2-3-1900-YL	Yellow	2.000	X	3.000	1	3	1900	N/A	8	OH
<b>NEW!</b>	BFC-2-3-1900-PK	Pink	2.000	X	3.000	1	3	1900	N/A	8	OH
<b>NEW!</b>	BFC-2-3-1900-RD	Red	2.000	X	3.000	1	3	1900	N/A	8	OH
<b>NEW!</b>	BFC-2-3-1900-BL	Blue	2.000	X	3.000	1	3	1900	N/A	8	OH
<b>NEW!</b>	BFC-2-3-1900-GR	Green	2.000	X	3.000	1	3	1900	N/A	8	OH
<b>NEW!</b>	BFC-2-3-1900-OR	Orange	2.000	X	3.000	1	3	1900	N/A	8	OH
	BFC-3-1-5500-YL	Yellow	3.000	X	1.000	1	3	5500	33	8	OH
	BFC-3-1-5500-BL	Blue	3.000	X	1.000	1	3	5500	33	8	OH
	BFC-3-1-5500-GR	Green	3.000	X	1.000	1	3	5500	33	8	OH
	BFC-3-1-5500-OR	Orange	3.000	X	1.000	1	3	5500	33	8	OH
<b>NEW!</b>	BFC-3-2-2900-YL	Yellow	3.000	X	2.000	1	3	2900	N/A	8	OH
<b>NEW!</b>	BFC-3-2-2900-PK	Pink	3.000	X	2.000	1	3	2900	N/A	8	OH
<b>NEW!</b>	BFC-3-2-2900-RD	Red	3.000	X	2.000	1	3	2900	N/A	8	OH
<b>NEW!</b>	BFC-3-2-2900-BL	Blue	3.000	X	2.000	1	3	2900	N/A	8	OH
<b>NEW!</b>	BFC-3-2-2900-GR	Green	3.000	X	2.000	1	3	2900	N/A	8	OH
<b>NEW!</b>	BFC-3-2-2900-OR	Orange	3.000	X	2.000	1	3	2900	N/A	8	OH
<b>NEW!</b>	BFC-4-1-5500-YL	Yellow	4.000	X	1.000	1	3	5500	N/A	4	OH
<b>NEW!</b>	BFC-4-1-5500-PK	Pink	4.000	X	1.000	1	3	5500	N/A	4	OH
<b>NEW!</b>	BFC-4-1-5500-RD	Red	4.000	X	1.000	1	3	5500	N/A	4	OH
<b>NEW!</b>	BFC-4-1-5500-BL	Blue	4.000	X	1.000	1	3	5500	N/A	4	OH
<b>NEW!</b>	BFC-4-1-5500-GR	Green	4.000	X	1.000	1	3	5500	N/A	4	OH
<b>NEW!</b>	BFC-4-1-5500-OR	Orange	4.000	X	1.000	1	3	5500	N/A	4	OH
	BFC-4-2-2900-YL	Yellow	4.000	X	2.000	1	3	2900	23	4	OH
	BFC-4-2-2900-PK	Pink	4.000	X	2.000	1	3	2900	23	4	OH
	BFC-4-2-2900-RD	Red	4.000	X	2.000	1	3	2900	23	4	OH
	BFC-4-2-2900-BL	Blue	4.000	X	2.000	1	3	2900	23	4	OH
	BFC-4-2-2900-GR	Green	4.000	X	2.000	1	3	2900	23	4	OH, WI
	BFC-4-2-2900-OR	Orange	4.000	X	2.000	1	3	2900	23	4	OH
	BFC-4-3-1900-YL	Yellow	4.000	X	3.000	1	3	1900	24	4	OH
	BFC-4-3-1900-PK	Pink	4.000	X	3.000	1	3	1900	24	4	OH
	BFC-4-3-1900-RD	Red	4.000	X	3.000	1	3	1900	24	4	OH
	BFC-4-3-1900-BL	Blue	4.000	X	3.000	1	3	1900	24	4	OH
	BFC-4-3-1900-GR	Green	4.000	X	3.000	1	3	1900	24	4	OH
	BFC-4-3-1900-OR	Orange	4.000	X	3.000	1	3	1900	24	4	OH
<b>NEW!</b>	BFC-4-4-1500-YL	Yellow	4.000	X	4.000	1	3	1500	N/A	4	OH
<b>NEW!</b>	BFC-4-4-1500-PK	Pink	4.000	X	4.000	1	3	1500	N/A	4	OH

continued...

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

### 8" O.D. Floodcoated Thermal Transfer, Perfed Each, Wound Out, 3" Core (continued)

<b>NEW!</b>	BFC-4-4-1500-RD	Red	4.000	X	4.000	1	3	1500	N/A	4	OH
<b>NEW!</b>	BFC-4-4-1500-BL	Blue	4.000	X	4.000	1	3	1500	N/A	4	OH
<b>NEW!</b>	BFC-4-4-1500-GR	Green	4.000	X	4.000	1	3	1500	N/A	4	OH
<b>NEW!</b>	BFC-4-4-1500-OR	Orange	4.000	X	4.000	1	3	1500	N/A	4	OH
	BFC-4-6-1000-YL	Yellow	4.000	X	6.000	1	3	1000	24	4	OH, WI
	BFC-4-6-1000-PK	Pink	4.000	X	6.000	1	3	1000	24	4	OH
	BFC-4-6-1000-RD	Red	4.000	X	6.000	1	3	1000	24	4	OH
	BFC-4-6-1000-BL	Blue	4.000	X	6.000	1	3	1000	24	4	OH
	BFC-4-6-1000-GR	Green	4.000	X	6.000	1	3	1000	24	4	OH
	BFC-4-6-1000-OR	Orange	4.000	X	6.000	1	3	1000	24	4	OH
	BFC-4-65-900-YL	Yellow	4.000	X	6.500	1	3	900	23	4	OH
	BFC-4-65-900-PK	Pink	4.000	X	6.500	1	3	900	23	4	OH
	BFC-4-65-900-BL	Blue	4.000	X	6.500	1	3	900	23	4	OH
	BFC-4-65-900-GR	Green	4.000	X	6.500	1	3	900	23	4	OH
	BFC-4-65-900-OR	Orange	4.000	X	6.500	1	3	900	23	4	OH
<b>NEW!</b>	BFC-4-8-750-YL	Yellow	4.000	X	8.000	1	3	750	N/A	4	OH
<b>NEW!</b>	BFC-4-8-750-PK	Pink	4.000	X	8.000	1	3	750	N/A	4	OH
<b>NEW!</b>	BFC-4-8-750-RD	Red	4.000	X	8.000	1	3	750	N/A	4	OH
<b>NEW!</b>	BFC-4-8-750-BL	Blue	4.000	X	8.000	1	3	750	N/A	4	OH
<b>NEW!</b>	BFC-4-8-750-GR	Green	4.000	X	8.000	1	3	750	N/A	4	OH
<b>NEW!</b>	BFC-4-8-750-OR	Orange	4.000	X	8.000	1	3	750	N/A	4	OH
<b>NEW!</b>	BFC-6-4-1500-YL	Yellow	6.000	X	4.000	1	3	1500	N/A	4	OH
<b>NEW!</b>	BFC-6-4-1500-PK	Pink	6.000	X	4.000	1	3	1500	N/A	4	OH
<b>NEW!</b>	BFC-6-4-1500-RD	Red	6.000	X	4.000	1	3	1500	N/A	4	OH
<b>NEW!</b>	BFC-6-4-1500-BL	Blue	6.000	X	4.000	1	3	1500	N/A	4	OH
<b>NEW!</b>	BFC-6-4-1500-GR	Green	6.000	X	4.000	1	3	1500	N/A	4	OH
<b>NEW!</b>	BFC-6-4-1500-OR	Orange	6.000	X	4.000	1	3	1500	N/A	4	OH

PMS Colors: Pantone Yellow, 176 Pink, 032 Red, 290 Blue, 345 Green, 1495 Orange

### 4" O.D. Floodcoated Thermal Transfer, Perfed Each, Wound Out, 1" Core

<b>NEW!</b>	BFC-2-3-500-YL	Yellow	2.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BFC-2-3-500-RD	Red	2.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BFC-2-3-500-BL	Blue	2.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BFC-2-3-500-GR	Green	2.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BFC-2-3-500-OR	Orange	2.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BFC-3-1-1375-YL	Yellow	3.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BFC-3-1-1375-RD	Red	3.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BFC-3-1-1375-BL	Blue	3.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BFC-3-1-1375-GR	Green	3.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BFC-3-1-1375-OR	Orange	3.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BFC-4-6-250-YL	Yellow	4.000	X	6.000	1	1	250	N/A	12	OH
<b>NEW!</b>	BFC-4-6-250-RD	Red	4.000	X	6.000	1	1	250	N/A	12	OH
<b>NEW!</b>	BFC-4-6-250-BL	Blue	4.000	X	6.000	1	1	250	N/A	12	OH

continued...

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

**4" O.D. Floodcoated Thermal Transfer, Perfed Each, Wound Out, 1" Core (continued)**

<b>NEW!</b>	BFC-4-6-250-GR	Green	4.000	X	6.000	1	1	250	N/A	12	OH
<b>NEW!</b>	BFC-4-6-250-OR	Orange	4.000	X	6.000	1	1	250	N/A	12	OH

PMS Colors: Pantone Yellow, 032 Red, 290 Blue, 345 Green, 1495 Orange

**8" O.D. Fluorescent Thermal Transfer, Perfed Each, Wound Out, 3" Core**

<b>NEW!</b>	FL-2-3-1900-RD	Red	2.000	X	3.000	1	3	1900	N/A	8	OH
<b>NEW!</b>	FL-2-3-1900-CH	Chartreuse	2.000	X	3.000	1	3	1900	N/A	8	OH
<b>NEW!</b>	FL-2-3-1900-GR	Green	2.000	X	3.000	1	3	1900	N/A	8	OH
<b>NEW!</b>	FL-2-3-1900-OR	Orange	2.000	X	3.000	1	3	1900	N/A	8	OH
<b>NEW!</b>	FL-2-3-1900-PK	Pink	2.000	X	3.000	1	3	1900	N/A	8	OH
<b>NEW!</b>	FL-3-5-1200-RD	Red	3.000	X	5.000	1	3	1200	N/A	8	OH
<b>NEW!</b>	FL-3-5-1200-CH	Chartreuse	3.000	X	5.000	1	3	1200	N/A	8	OH
<b>NEW!</b>	FL-3-5-1200-GR	Green	3.000	X	5.000	1	3	1200	N/A	8	OH
<b>NEW!</b>	FL-3-5-1200-OR	Orange	3.000	X	5.000	1	3	1200	N/A	8	OH
<b>NEW!</b>	FL-3-5-1200-PK	Pink	3.000	X	5.000	1	3	1200	N/A	8	OH
<b>NEW!</b>	FL-4-2-2900-RD	Red	4.000	X	2.000	1	3	2900	N/A	4	OH
<b>NEW!</b>	FL-4-2-2900-CH	Chartreuse	4.000	X	2.000	1	3	2900	N/A	4	OH
<b>NEW!</b>	FL-4-2-2900-GR	Green	4.000	X	2.000	1	3	2900	N/A	4	OH
<b>NEW!</b>	FL-4-2-2900-OR	Orange	4.000	X	2.000	1	3	2900	N/A	4	OH
<b>NEW!</b>	FL-4-2-2900-PK	Pink	4.000	X	2.000	1	3	2900	N/A	4	OH
<b>NEW!</b>	FL-4-3-1900-RD	Red	4.000	X	3.000	1	3	1900	N/A	4	OH
<b>NEW!</b>	FL-4-3-1900-CH	Chartreuse	4.000	X	3.000	1	3	1900	N/A	4	OH
<b>NEW!</b>	FL-4-3-1900-GR	Green	4.000	X	3.000	1	3	1900	N/A	4	OH
<b>NEW!</b>	FL-4-3-1900-OR	Orange	4.000	X	3.000	1	3	1900	N/A	4	OH
<b>NEW!</b>	FL-4-3-1900-PK	Pink	4.000	X	3.000	1	3	1900	N/A	4	OH
<b>NEW!</b>	FL-4-6-1000-RD	Red	4.000	X	6.000	1	3	1000	28	4	OH
<b>NEW!</b>	FL-4-6-1000-CH	Chartreuse	4.000	X	6.000	1	3	1000	28	4	OH
<b>NEW!</b>	FL-4-6-1000-GR	Green	4.000	X	6.000	1	3	1000	28	4	OH
<b>NEW!</b>	FL-4-6-1000-OR	Orange	4.000	X	6.000	1	3	1000	28	4	OH
<b>NEW!</b>	FL-4-6-1000-PK	Pink	4.000	X	6.000	1	3	1000	28	4	OH

PMS Colors: 805 Red, Chartreuse (Yellow-Green), 802 Green, 804 Orange, 806 Pink

**8" O.D. 1/2" Horizontal Color Bar at Trailing Edge, Thermal Transfer, Perfed Each, Wound Out, 3" Core**

BTC-4-65-1000-BL	Blue	4.000	X	6.500	1	3	1000	24	4	OH
BTC-4-65-1000-GR	Green	4.000	X	6.500	1	3	1000	24	4	OH
BTC-4-65-1000-OR	Orange	4.000	X	6.500	1	3	1000	24	4	OH
BTC-4-65-1000-PV	Violet	4.000	X	6.500	1	3	1000	24	4	OH

PMS Colors: Process Blue, Pantone Green, 021U Orange, Pantone Violet



## Thermal Transfer Circles

BIS Part #	Label Size	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	------------	--------	-----------	---------------	------------------	--------------	--------------------

**1" Circles, Floodcoated Thermal Transfer, 4" O.D., No Perf, Wound Out, 3" Core**

IT-1-CIR-WH	White	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-RD	Red	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-BLK	Black	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-BL	Blue	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-PU	Purple	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-GR	Green	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-YL	Yellow	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-PK	Pink	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-BR	Brown	1" Diam. Circle	1	3	500	2	4	OH
IT-1-CIR-OR	Orange	1" Diam. Circle	1	3	500	2	4	OH

PMS Colors: 032 Red, Black, 290 Blue, 265 Purple, 345 Green, Pantone Yellow, 1905 Pink, 4705 Brown, 1495 Orange

**1" Circles, Fluorescent Thermal Transfer, 4" O.D., Perfed Each, Wound Out, 3" Core**

BFL-1-CIR-RD	Red	1" Diam. Circle	1	3	500	2	4	OH
BFL-1-CIR-CH	Chartreuse	1" Diam. Circle	1	3	500	2	4	OH
BFL-1-CIR-GR	Green	1" Diam. Circle	1	3	500	2	4	OH
BFL-1-CIR-OR	Orange	1" Diam. Circle	1	3	500	2	4	OH
BFL-1-CIR-PK	Pink	1" Diam. Circle	1	3	500	2	4	OH

PMS Colors: 805 Red, Chartreuse (Yellow-Green), 802 Green, 804 Orange, 806 Pink

**1 1/2" Circles, Floodcoated Thermal Transfer, 5" O.D., No Perf, Wound Out, 3" Core**

IT-15-CIR-WH	White	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-RD	Red	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-BLK	Black	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-BL	Blue	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-PU	Purple	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-GR	Green	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-YL	Yellow	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-PK	Pink	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-BR	Brown	1.5" Diam. Circle	1	3	1000	3	4	OH
IT-15-CIR-OR	Orange	1.5" Diam. Circle	1	3	1000	3	4	OH

PMS Colors: 032 Red, Black, 290 Blue, 265 Purple, 345 Green, Pantone Yellow, 1905 Pink, 4705 Brown, 1495 Orange

**1 1/2" Circles, Thermal Transfer, 8" O.D., Perfed Each, Wound Out, 3" Core**

BT-15-CIR-WH	White	1.5" Diam. Circle	1	3	3500	14	8	OH
--------------	-------	-------------------	---	---	------	----	---	----

**1 1/2" Circles, Fluorescent Thermal Transfer, 8" O.D., Perfed Each, Wound Out, 3" Core**

BFL-15-CIR-RD	Red	1.5" Diam. Circle	1	3	3286	16	8	OH
BFL-15-CIR-CH	Chartreuse	1.5" Diam. Circle	1	3	3286	16	8	OH
BFL-15-CIR-GR	Green	1.5" Diam. Circle	1	3	3286	16	8	OH
BFL-15-CIR-OR	Orange	1.5" Diam. Circle	1	3	3286	16	8	OH
BFL-15-CIR-PK	Pink	1.5" Diam. Circle	1	3	3286	16	8	OH

PMS Colors: 805 Red, Chartreuse (Yellow-Green), 802 Green, 804 Orange, 806 Pink

## RFID Enabled Labels

If ordering quantity of 101M and above, please call for pricing

BIS Part #	Width	X	Length	Core Size	Labels / Roll	Rolls / Carton
------------	-------	---	--------	-----------	---------------	----------------

**Printronix SL5000r / SL4m** Alien Squiggle \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

BFT-4-1-AL1.2-PRIN-3 (Higgs-3 IC)	4.000	X	1.000	3	2500	4
BFT-4-2-AL1.2-PRIN-3 (Higgs-3 IC)	4.000	X	2.000	3	2500	4
BFT-4-6-AL1.2-PRIN-3 (Higgs-3 IC)	4.000	X	6.000	3	800	5

**Printronix SL5000r / SL4m** Avery AD224 \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

BFT-4-1-AV1.2-Z/P-3	4.000	X	1.000	3	2500	4
BFT-4-2-AV1.2-PRIN-3	4.000	X	2.000	3	2500	4
BFT-4-6-AV1.2-PRIN-3	4.000	X	6.000	3	800	5

**Printronix SL5000r / SL4m** Rafsec Short Dipole \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

BFT-4-6-RA1.2-PRIN-3	4.000	X	6.000	3	800	5
----------------------	-------	---	-------	---	-----	---

**Zebra R 110xi/R 170xi** Alien Squiggle \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

BFT-4-1-AL1.2-ZEB-3 (Higgs-3 IC)	4.000	X	1.000	3	2500	4
BFT-4-2-AL1.2-ZEB-3 (Higgs-3 IC)	4.000	X	2.000	3	2500	4
BFT-4-4-AL1.2-ZEB-3 (Higgs-3 IC)	4.000	X	4.000	3	1000	5
BFT-4-6-AL1.2-ZEB-3 (Higgs-3 IC)	4.000	X	6.000	3	800	5
BFT-4-6-AL1.2-ZEB-FF (Higgs-3 IC)	4.000	X	6.000	FF	800	4
BFT-4-6-ALH-ZEB-3 (Higgs-4 IC)	4.000	X	6.000	3	800	5

**Zebra R 110xi/R 170xi** Avery AD224 \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

BFT-4-1-AV1.2-Z/P-3	4.000	X	1.000	3	2500	4
BFT-4-2-AV1.2-ZEB-3	4.000	X	2.000	3	2500	4
BFT-4-6-AV1.2-ZEB-3	4.000	X	6.000	3	800	5

**Zebra RZ400 / RZ600** Alien / Avery \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

BFT-4-2-AL2-RZ400-3 (Higgs-3 IC)	4.000	X	2.000	3	2500	4
BFT-4-6-AL2-RZ400-3 (Higgs-3 IC)	4.000	X	6.000	3	800	5
BFT-4-6-AV2-RZ400-3	4.000	X	6.000	3	800	5

**Zebra RP4T** Alien Squiggle \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

BFT-4-2-AL2-ZEB-RP4T (Higgs-3 IC)	4.000	X	2.000	1.375	200	25
-----------------------------------	-------	---	-------	-------	-----	----

**Monarch 9855** Alien AD224 \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

BFT-4-2-AV2-MON9855	4.000	X	2.000	3	2500	4
BFT-4-6-AV2-MON9855	4.000	X	6.000	3	964	5

**Avery 6405** Avery, AD224 \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

BFT-4-2-AV1.2-AV6405	4.000	X	2.000	3	1000	5
----------------------	-------	---	-------	---	------	---

BIS Part #	Width	X	Length	Core Size	Labels / Roll	Rolls / Carton
------------	-------	---	--------	-----------	---------------	----------------


**Datamax H Class** Alien Squiggle \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

BFT-4-2-AL1.2-DA,H-3 (Higgs-3 IC)	4.000	X	2.000	3	2500	4
BFT-4-6-AL1.2-DA,H-3 (Higgs-3 IC)	4.000	X	6.000	3	800	5


**Intermec PM4i** Alien Squiggle \* EPC Class 1, Gen 2 \* 96 bit \* UHF \* 915 MHz, Perfed, Thermal Transfer, Perm Adh

BFT-4-2-AL1.2-I,PM4I (Higgs-3 IC)	4.000	X	2.000	3	2500	4
BFT-4-6-AL1.2-I,PM4I (Higgs-3 IC)	4.000	X	6.000	3	800	5

- Chip-neutral insertion process - compatible with available UHF (915 MHz) or HF (13.56 MHz) transponders
- Insertion in a variety of materials, TTR, films, tag, and synthetic tag
- Specialty adhesives available
- Pre-encoding and imprinting available
- Press speeds up to 500 feet per minute
- Delivered 100% verified
- DOD-Compliant Label Service Bureau
- Alien Squiggle and Avery AD224 are trademarks of their respective manufacturers
- To receive RFID bracket pricing, quantities must be met.
- RFID is subject to a 40% restocking fee.



4" x 1" LABEL WITH AVERY INLAY



4" x 2" LABEL WITH ALIEN SQUIGGLE INLAY

## Direct Thermal Labels

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

### 12" O.D. Topcoated Direct Thermal (Light Visible), No Perf, Wound Out, 3" Core

<b>NEW!</b>	BD-4-6-2800-3	4.000	X	6.000	1	3	2800	N/A	3	OH
-------------	---------------	-------	---	-------	---	---	------	-----	---	----

### 8" O.D. Premium Direct Thermal (Light Visible), Perfed Each, Wound Out, 3" Core

<b>NEW!</b>	BD-1-1-5500-3	1.000	X	1.000	1	3	5500	12	8	OH
	BD-1-4-1500-3	1.000	X	4.000	1	3	1500	12	8	OH
	BD-15-1-5500-3	1.500	X	1.000	1	3	5500	18	8	OH, AZ
	BD-15-125-4450-3	1.500	X	1.250	1	3	4450	19	8	OH
	BD-15-15-3600-3	1.500	X	1.500	1	3	3600	17	8	OH, AZ
	BD-2-1-5500-3	2.000	X	1.000	1	3	5500	23	8	OH, AZ
	BD-2-1-5500-3 NP	No Perf	X	1.000	1	3	5500	23	8	OH, AZ
<b>NEW!</b>	BD-2-15-3600-3	2.000	X	1.500	1	3	3600	N/A	8	OH
	BD-2-2-2900-3	2.000	X	2.000	1	3	2900	24	8	OH, AZ
	BD-2-3-1900-3	2.000	X	3.000	1	3	1900	23	8	OH, WI
	BD-225-125-4450-3	2.250	X	1.250	1	3	4450	25	8	OH, AZ
<b>NEW!</b>	BD-225-1125-4450-3	2.250	X	1.125	1	3	4450	25	8	OH
	BD-225-25-2500-3	2.250	X	2.500	1	3	2500	N/A	8	OH
<b>NEW!</b>	BD-25-1-5500-3	2.500	X	1.000	1	3	5500	29	8	OH, AZ
	BD-25-15-3600-3	2.500	X	1.500	1	3	3600	N/A	8	OH
	BD-25-2-2900-3	2.500	X	2.000	1	3	2900	29	8	OH, WI
	BD-3-1-5500-3	3.000	X	1.000	1	3	5500	33	8	OH, AZ
	BD-3-15-3600-3	3.000	X	1.500	1	3	3600	32	8	OH
	BD-3-2-2900-3	3.000	X	2.000	1	3	2900	36	8	OH, AZ
	BD-3-3-1900-3	3.000	X	3.000	1	3	1900	35	8	OH, AZ
	BD-3-5-1200-3	3.000	X	5.000	1	3	1200	35	8	OH, AZ
	BD-3125-5-1200-3	3.125	X	5.000	1	3	1200	18	4	OH
	BD-35-1-5500-3	3.500	X	1.000	1	3	5500	20	4	OH, AZ
	BD-35-15-3600-3	3.500	X	1.500	1	3	3600	19	4	OH, AZ
	BD-35-15-3600-NP	No Perf	X	1.500	1	3	3600	19	4	OH, AZ
<b>NEW!</b>	BD-35-35-1600-3	3.500	X	3.500	1	3	1600	N/A	4	OH
	BD-4-1-5500-3	4.000	X	1.000	1	3	5500	23	4	OH, AZ
	BD-4-15-3600-3	4.000	X	1.500	1	3	3600	21	4	OH, AZ
	BD-4-2-2900-3	4.000	X	2.000	1	3	2900	23	4	OH, AZ
	BD-4-25-2500-3	4.000	X	2.500	1	3	2500	26	4	OH, AZ
	BD-4-3-1900-3	4.000	X	3.000	1	3	1900	22	4	OH, AZ, WI
	BD-4-4-1500-3	4.000	X	4.000	1	3	1500	23	4	OH, AZ
	BD-4-6-1000-3	4.000	X	6.000	1	3	1000	24	4	OH, AZ, WI
	BD-4-65-900-3	4.000	X	6.500	1	3	900	23	4	OH, AZ
	BD-4-8-750-3	4.000	X	8.000	1	3	750	24	4	OH
	BD-45-25-2500-3	4.500	X	2.500	1	3	2500	30	4	OH, WI
	BD-45-45-1400-3	4.500	X	4.500	1	3	1400	27	4	OH
	BD-45-6-1000-3	4.500	X	6.000	1	3	1000	26	4	OH
	BD-6-4-1500-3	6.000	X	4.000	1	3	1500	35	4	OH, AZ
	BD-6-6-1000-3	6.000	X	6.000	1	3	1000	38	4	OH

BIS Part #	Width Inches	X	Length Feet	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	--------------	---	-------------	--------	-----------	---------------	------------------	--------------	--------------------

### 8" O.D. Topcoated Direct Thermal Continuous Roll (Light Visible), No Perf, Wound Out, 3" Core

<b>NEW!</b>	BD-4-500-1-3	Continuous	4.000	X	500'	1	3	1	N/A	4	OH
-------------	--------------	------------	-------	---	------	---	---	---	-----	---	----

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

### 8" O.D. Non-Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, 3" Core

	BDS-2-1-5500-3	2.000	X	1.000	1	3	5500	23	8	OH
	BDS-2-1-11000-3	2.000	X	1.000	2	3	11,000	23	4	OH
	BDS-3-1-5500-3	3.000	X	1.000	1	3	5500	33	8	OH, AZ
	BDS-35-1-5500-3	3.500	X	1.000	1	3	5500	20	4	OH
	BDS-4-1-5500-3	4.000	X	1.000	1	3	5500	23	4	OH
	BDS-4-2-2900-3	4.000	X	2.000	1	3	2900	23	4	OH, AZ
	BDS-4-3-1900-3	4.000	X	3.000	1	3	1900	22	4	OH, AZ
	BDS-4-4-1500-3	4.000	X	4.000	1	3	1500	23	4	OH
	BDS-4-6-1000-3	4.000	X	6.000	1	3	1000	24	4	OH, AZ, WI
	BDS-4-6-1000-NP	No Perf	X	6.000	1	3	1000	24	4	OH, AZ, WI
	BDS-4-65-900-3	4.000	X	6.500	1	3	900	23	4	OH
	RDS-4-8-750-3	4.000	X	8.000	1	3	750	24	4	OH

### 6" O.D. Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, 3" Core

	BD-2-1-2750-3	2.000	X	1.000	1	3	2750	20	12	OH
	BD-3-2-1475-3	3.000	X	2.000	1	3	1475	22	8	OH
	BD-4-6-525-3	4.000	X	6.000	1	3	525	28	8	OH

### 5" O.D. Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, 1" Core

	BD-2-1-2500-1	2.000	X	1.000	1	1	2500	18	12	OH, AZ, WI
	BD-225-125-2100-1	2.250	X	1.250	1	1	2100	21	12	OH, AZ, WI
	BD-225-1125-2300-1	2.250	X	1.125	1	1	2300	21	12	OH
	BD-25-1-2500-1	2.500	X	1.000	1	1	2500	22	12	OH, WI
	BD-3-1-2500-1	3.000	X	1.000	1	1	2500	25	12	OH, AZ, WI
	BD-3-3-890-1	3.000	X	3.000	1	1	890	26	12	OH, WI
	BD-35-1-2500-1	3.500	X	1.000	1	1	2500	29	12	OH, WI
	BD-4-1-2500-1	4.000	X	1.000	1	1	2500	32	12	OH, AZ, WI
	BD-4-15-1800-1	4.000	X	1.500	1	1	1800	32	12	OH, AZ, WI
	BD-4-2-1320-1	4.000	X	2.000	1	1	1320	34	12	OH, AZ, WI
	BD-4-3-890-1	4.000	X	3.000	1	1	890	23	12	OH, AZ, WI
	BD-4-4-700-1	4.000	X	4.000	1	1	700	35	12	OH, WI
	BD-4-6-460-1	4.000	X	6.000	1	1	460	35	12	OH, AZ, WI
	BD-4-65-380-1	4.000	X	6.500	1	1	380	31	12	OH, WI

**Non-Topcoated Direct Thermal** is an uncoated medium sensitivity product with an all temp acrylic permanent adhesive. This material has excellent image quality. Because this material is uncoated, it should be tested by the end user before ordering large quantities. This product should not be used in applications that require extreme environmental resistance. Application Temp (-20° F), Service Temp (-65° to 200° F).

**Topcoated Direct Thermal** is a topcoated medium sensitivity product with an all temp acrylic permanent adhesive. This material has excellent image quality and it provides excellent results in most environmental conditions. We recommend that any direct thermal material be tested in an end-user application before ordering large quantities. Application Temp (-20° F), Service Temp (-65° to 200° F).



BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

**4" O.D. Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, 1" Core**

NEW!	BD-1-05-4900-1	1.000	X	0.500	2	1	4900	N/A	12	OH
NEW!	BD-1-1-2750-1	1.000	X	1.000	2	1	2750	N/A	12	OH
NEW!	BD-1-3-500-1	1.000	X	3.000	1	1	500	N/A	12	OH
NEW!	BD-125-1-1375-1	1.250	X	1.000	1	1	1375	N/A	12	OH
NEW!	BD-15-075-3500-1	1.500	X	0.750	2	1	3500	N/A	12	OH
NEW!	BD-15-1-1375-1	1.500	X	1.000	1	1	1375	N/A	12	OH
NEW!	BD-15-1-2750-1	1.500	X	1.000	2	1	2750	N/A	12	OH
NEW!	BD-15-15-960-1	1.500	X	1.500	1	1	960	N/A	12	OH
NEW!	BD-2-1-1375-1	2.000	X	1.000	1	1	1375	9	12	OH, AZ, WI
NEW!	BD-2-1-2750-1	2.000	X	1.000	2	1	2750	N/A	12	OH
NEW!	BD-2-15-960-1	2.000	X	1.500	1	1	960	N/A	12	OH
NEW!	BD-2-2-735-1	2.000	X	2.000	1	1	735	N/A	12	OH
NEW!	BD-2-4-380-1	2.000	X	4.000	1	1	380	N/A	12	OH
NEW!	BD-225-1-1375-1	2.250	X	1.000	1	1	1375	N/A	12	OH
NEW!	BD-225-125-1135-1	2.250	X	1.250	1	1	1135	10	12	OH, AZ, WI
NEW!	BD-225-1125-1135-1	2.250	X	1.125	1	1	1135	10	12	OH
NEW!	BD-225-2-735-1	2.250	X	2.000	1	1	735	N/A	12	OH
NEW!	BD-225-3-500-1	2.250	X	3.000	1	1	500	N/A	12	OH
NEW!	BD-25-075-1750-1	2.500	X	0.075	1	1	1750	N/A	12	OH
NEW!	BD-25-1-1375-1	2.500	X	1.000	1	1	1375	12	12	OH, WI
NEW!	BD-25-15-960-1	2.500	X	1.500	1	1	960	N/A	12	OH
NEW!	BD-3-075-1750-1	3.000	X	0.750	1	1	1750	N/A	12	OH
NEW!	BD-3-1-1375-1	3.000	X	1.000	1	1	1375	14	12	OH, AZ, WI
NEW!	BD-3-15-960-1	3.000	X	1.500	1	1	960	N/A	12	OH
NEW!	BD-3-2-735-1	3.000	X	2.000	1	1	735	N/A	12	OH
NEW!	BD-3-3-500-1	3.000	X	3.000	1	1	500	13	12	OH, WI
NEW!	BD-3-5-300-1	3.000	X	5.000	1	1	300	N/A	12	OH
NEW!	BD-35-1-1375-1	3.500	X	1.000	1	1	1375	16	12	OH, AZ, WI
NEW!	BD-35-15-960-1	3.500	X	1.500	1	1	960	N/A	12	OH
NEW!	BD-35-5-300-1	3.500	X	5.000	1	1	300	N/A	12	OH
NEW!	BD-4-05-2450-1	4.000	X	0.500	1	1	2450	N/A	12	OH
NEW!	BD-4-1-1375-1	4.000	X	1.000	1	1	1375	17	12	OH, AZ, WI
NEW!	BD-4-15-960-1	4.000	X	1.500	1	1	960	17	12	OH, AZ, WI
NEW!	BD-4-2-735-1	4.000	X	2.000	1	1	735	18	12	OH, AZ, WI
NEW!	BD-4-25-595-1	4.000	X	2.500	1	1	595	N/A	12	OH
NEW!	BD-4-3-500-1	4.000	X	3.000	1	1	500	18	12	OH, AZ, WI
NEW!	BD-4-4-380-1	4.000	X	4.000	1	1	380	18	12	OH, WI
NEW!	BD-4-6-250-1	4.000	X	6.000	1	1	250	17	12	OH, AZ, WI
NEW!	BD-4-65-230-1	4.000	X	6.500	1	1	230	17	12	OH, WI
NEW!	BD-4-8-200-1	4.000	X	8.000	1	1	200	N/A	12	OH

BIS Part #	Width Inches	X	Length Feet	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	--------------	---	-------------	--------	-----------	---------------	------------------	--------------	--------------------

**4" O.D. Topcoated Direct Thermal Continuous Roll (Light Visible), No Perf, Wound Out, 1" Core**

NEW!	BD-4-200-1-1	Continuous	4.000	X	200'	1	1	1	N/A	12	OH
------	--------------	------------	-------	---	------	---	---	---	-----	----	----

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

**4" O.D. Removable Adhesive, Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, 1" Core**

NEW!	BDE-2-1-1375-1	2.000	X	1.000	1	1	1375	N/A	12	OH
NEW!	BDE-225-125-1135-1	2.250	X	1.250	1	1	1135	N/A	12	OH
NEW!	BDE-3-1-1375-1	3.000	X	1.000	1	1	1375	N/A	12	OH
NEW!	BDE-4-1-1375-1	4.000	X	1.000	1	1	1375	N/A	12	OH
NEW!	BDE-4-15-960-1	4.000	X	1.500	1	1	960	N/A	12	OH
NEW!	BDE-4-2-735-1	4.000	X	2.000	1	1	735	N/A	12	OH
NEW!	BDE-4-6-250-1	4.000	X	6.000	1	1	250	N/A	12	OH


**2.5" O.D. Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, .75" Core Black Sensemark on Liner**

NEW!	BD-2-125-460-075	2.000	X	1.250	1	0.75	460	N/A	36	OH
NEW!	BD-3-1-560-075	3.000	X	1.000	1	0.75	560	N/A	36	OH
NEW!	BD-3-2-300-075	3.000	X	2.000	1	0.75	300	N/A	36	OH
NEW!	BD-4-2-300-075	4.000	X	2.000	1	0.75	300	24	36	OH
NEW!	BD-4-3-200-075	4.000	X	3.000	1	0.75	200	24	36	OH
NEW!	BD-4-4-160-075	4.000	X	4.000	1	0.75	160	19	36	OH
NEW!	BD-4-6-105-075	4.000	X	6.000	1	0.75	105	25	36	OH


For Zebra Printers: P4T, QL, QL Plus Series

**Direct Thermal Shipping System Label with 3/4" DOC Tab (Near IR)**

BPS-4-675-250-1	4.000	X	6.750	1	1	250	22	12	OH
BPS-4-675-250-15	4.000	X	6.750	1	1.5	250	22	12	OH
BPS-4-675-820-3	4.000	X	6.750	1	3	820	24	4	OH



4 x 6.75  
SHIPPING SYSTEM LABEL



3.3 x 1.9  
DIRECT THERMAL TRAY TAGS

## Direct Thermal Fanfold Labels

BIS Part #	Width	X	Length	Labels / Fold	FF= Fanfold	Labels / Stack	Approx Wt / Case	Labels / Case	Stacking Locations
------------	-------	---	--------	---------------	-------------	----------------	------------------	---------------	--------------------

### Fanfold Stack, Topcoated Direct Thermal (Light Visible), Perfed Each

<b>NEW!</b>	BD-3-2-12000-FF	3.000	X	2.000	5	FF	12000	N/A	12000	OH
<b>NEW!</b>	BD-4-3-8000-FF	4.000	X	3.000	4	FF	8000	N/A	8000	OH
	BD-4-6-2000-FF	4.000	X	6.000	2	FF	2000	22	4000	OH, WI, AZ
	BD-4-65-2000-FF	4.000	X	6.500	2	FF	2000	24	4000	OH
<b>NEW!</b>	BD-4-8-3000-FF	4.000	X	8.000	1	FF	3000	N/A	6000	OH

### Fanfold Stack, Non-Topcoated Direct Thermal (Light Visible), Perfed Each

	BDS-4-6-2000-FF	4.000	X	6.000	2	FF	2000	22	4000	OH, WI, AZ
	BDS-4-65-2000-FF	4.000	X	6.500	2	FF	2000	24	4000	OH

## Direct Thermal Tags

BIS Part #	Width	X	Length	Nbr Up	FF= Fanfold	Labels / Case	Approx Wt / Case	Stacks / Case	Stacking Locations
------------	-------	---	--------	--------	-------------	---------------	------------------	---------------	--------------------

### 7 pt. Direct Thermal Tag Stock, Postal Bag and Tray Tags, Fanfold

	BEP-334-1915-NF	3.300	X	1.900	1	FF	32,000	50	10	OH
--	-----------------	-------	---	-------	---	----	--------	----	----	----

Postal tags are manufactured to run through a Microcom 410 thermal printer.

## Floodcoated Direct Thermal Labels

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stacking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

### 8" O.D. Floodcoated Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, 3" Core

<b>NEW!</b>	BD-3-1-5500-YL	Yellow	3.000	X	1.000	1	3	5500	N/A	8	OH
<b>NEW!</b>	BD-3-1-5500-RD	Red	3.000	X	1.000	1	3	5500	N/A	8	OH
<b>NEW!</b>	BD-3-1-5500-BL	Blue	3.000	X	1.000	1	3	5500	N/A	8	OH
<b>NEW!</b>	BD-3-1-5500-GR	Green	3.000	X	1.000	1	3	5500	N/A	8	OH
<b>NEW!</b>	BD-3-1-5500-OR	Orange	3.000	X	1.000	1	3	5500	N/A	8	OH
<b>NEW!</b>	BD-3-5-1200-YL	Yellow	3.000	X	5.000	1	3	1200	N/A	8	OH
<b>NEW!</b>	BD-3-5-1200-RD	Red	3.000	X	5.000	1	3	1200	N/A	8	OH
<b>NEW!</b>	BD-3-5-1200-BL	Blue	3.000	X	5.000	1	3	1200	N/A	8	OH
<b>NEW!</b>	BD-3-5-1200-GR	Green	3.000	X	5.000	1	3	1200	N/A	8	OH
<b>NEW!</b>	BD-3-5-1200-OR	Orange	3.000	X	5.000	1	3	1200	N/A	8	OH
<b>NEW!</b>	BD-4-2-2900-YL	Yellow	4.000	X	2.000	1	3	2900	N/A	4	OH
<b>NEW!</b>	BD-4-2-2900-RD	Red	4.000	X	2.000	1	3	2900	N/A	4	OH
<b>NEW!</b>	BD-4-2-2900-BL	Blue	4.000	X	2.000	1	3	2900	N/A	4	OH
<b>NEW!</b>	BD-4-2-2900-GR	Green	4.000	X	2.000	1	3	2900	N/A	4	OH
<b>NEW!</b>	BD-4-2-2900-OR	Orange	4.000	X	2.000	1	3	2900	N/A	4	OH
<b>NEW!</b>	BD-4-3-1900-YL	Yellow	4.000	X	3.000	1	3	1900	N/A	4	OH
<b>NEW!</b>	BD-4-3-1900-RD	Red	4.000	X	3.000	1	3	1900	N/A	4	OH
<b>NEW!</b>	BD-4-3-1900-BL	Blue	4.000	X	3.000	1	3	1900	N/A	4	OH
<b>NEW!</b>	BD-4-3-1900-GR	Green	4.000	X	3.000	1	3	1900	N/A	4	OH

continued...

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stacking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

### 8" O.D. Floodcoated Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, 3" Core (continued)

<b>NEW!</b>	BD-4-3-1900-OR	Orange	4.000	X	3.000	1	3	1900	N/A	4	OH
	BD-4-6-1000-YL	Yellow	4.000	X	6.000	1	3	1000	24	4	OH
<b>NEW!</b>	BD-4-6-1000-RD	Red	4.000	X	6.000	1	3	1000	24	4	OH
	BD-4-6-1000-BL	Blue	4.000	X	6.000	1	3	1000	24	4	OH
<b>NEW!</b>	BD-4-6-1000-GR	Green	4.000	X	6.000	1	3	1000	24	4	OH
	BD-4-6-1000-OR	Orange	4.000	X	6.000	1	3	1000	24	4	OH

PMS Colors: Pantone Yellow 80% Screen, 032 Red 80% Screen, 292 Blue 80% Screen, 345 Green 80% Screen, 1505 Orange 80% Screen

### 4" O.D. Floodcoated Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, 1" Core

<b>NEW!</b>	BD-15-1-1375-YL	Yellow	1.500	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-15-1-1375-RD	Red	1.500	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-15-1-1375-BL	Blue	1.500	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-15-1-1375-GR	Green	1.500	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-15-1-1375-OR	Orange	1.500	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-2-1-1375-YL	Yellow	2.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-2-1-1375-RD	Red	2.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-2-1-1375-BL	Blue	2.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-2-1-1375-GR	Green	2.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-2-1-1375-OR	Orange	2.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-225-125-1135-YL	Yellow	2.250	X	1.250	1	1	1135	N/A	12	OH
<b>NEW!</b>	BD-225-125-1135-RD	Red	2.250	X	1.250	1	1	1135	N/A	12	OH
<b>NEW!</b>	BD-225-125-1135-BL	Blue	2.250	X	1.250	1	1	1135	N/A	12	OH
<b>NEW!</b>	BD-225-125-1135-GR	Green	2.250	X	1.250	1	1	1135	N/A	12	OH
<b>NEW!</b>	BD-225-125-1135-OR	Orange	2.250	X	1.250	1	1	1135	N/A	12	OH
<b>NEW!</b>	BD-2-3-500-YL	Yellow	2.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BD-2-3-500-RD	Red	2.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BD-2-3-500-BL	Blue	2.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BD-2-3-500-GR	Green	2.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BD-2-3-500-OR	Orange	2.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BD-3-1-1375-YL	Yellow	3.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-3-1-1375-RD	Red	3.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-3-1-1375-BL	Blue	3.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-3-1-1375-GR	Green	3.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-3-1-1375-OR	Orange	3.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-3-2-735-YL	Yellow	3.000	X	2.000	1	1	735	N/A	12	OH
<b>NEW!</b>	BD-3-2-735-RD	Red	3.000	X	2.000	1	1	735	N/A	12	OH
<b>NEW!</b>	BD-3-2-735-BL	Blue	3.000	X	2.000	1	1	735	N/A	12	OH
<b>NEW!</b>	BD-3-2-735-GR	Green	3.000	X	2.000	1	1	735	N/A	12	OH
<b>NEW!</b>	BD-3-2-735-OR	Orange	3.000	X	2.000	1	1	735	N/A	12	OH
<b>NEW!</b>	BD-3-5-300-YL	Yellow	3.000	X	5.000	1	1	300	N/A	12	OH
<b>NEW!</b>	BD-3-5-300-RD	Red	3.000	X	5.000	1	1	300	N/A	12	OH
<b>NEW!</b>	BD-3-5-300-BL	Blue	3.000	X	5.000	1	1	300	N/A	12	OH
<b>NEW!</b>	BD-3-5-300-GR	Green	3.000	X	5.000	1	1	300	N/A	12	OH
<b>NEW!</b>	BD-3-5-300-OR	Orange	3.000	X	5.000	1	1	300	N/A	12	OH

continued...

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

**4" O.D. Floodcoated Topcoated Direct Thermal (Light Visible), Perfed Each, Wound Out, 1" Core (continued)**

<b>NEW!</b>	BD-4-1-1375-YL	Yellow	4.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-4-1-1375-RD	Red	4.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-4-1-1375-BL	Blue	4.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-4-1-1375-GR	Green	4.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-4-1-1375-OR	Orange	4.000	X	1.000	1	1	1375	N/A	12	OH
<b>NEW!</b>	BD-4-2-735-YL	Yellow	4.000	X	2.000	1	1	735	N/A	12	OH
<b>NEW!</b>	BD-4-2-735-RD	Red	4.000	X	2.000	1	1	735	N/A	12	OH
<b>NEW!</b>	BD-4-2-735-BL	Blue	4.000	X	2.000	1	1	735	N/A	12	OH
<b>NEW!</b>	BD-4-2-735-GR	Green	4.000	X	2.000	1	1	735	N/A	12	OH
<b>NEW!</b>	BD-4-2-735-OR	Orange	4.000	X	2.000	1	1	735	N/A	12	OH
<b>NEW!</b>	BD-4-3-500-YL	Yellow	4.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BD-4-3-500-RD	Red	4.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BD-4-3-500-BL	Blue	4.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BD-4-3-500-GR	Green	4.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BD-4-3-500-OR	Orange	4.000	X	3.000	1	1	500	N/A	12	OH
<b>NEW!</b>	BD-4-4-380-YL	Yellow	4.000	X	4.000	1	1	380	N/A	12	OH
<b>NEW!</b>	BD-4-4-380-RD	Red	4.000	X	4.000	1	1	380	N/A	12	OH
<b>NEW!</b>	BD-4-4-380-BL	Blue	4.000	X	4.000	1	1	380	N/A	12	OH
<b>NEW!</b>	BD-4-4-380-GR	Green	4.000	X	4.000	1	1	380	N/A	12	OH
<b>NEW!</b>	BD-4-4-380-OR	Orange	4.000	X	4.000	1	1	380	N/A	12	OH
<b>NEW!</b>	BD-4-6-250-YL	Yellow	4.000	X	6.000	1	1	250	N/A	12	OH
<b>NEW!</b>	BD-4-6-250-RD	Red	4.000	X	6.000	1	1	250	N/A	12	OH
<b>NEW!</b>	BD-4-6-250-BL	Blue	4.000	X	6.000	1	1	250	N/A	12	OH
<b>NEW!</b>	BD-4-6-250-GR	Green	4.000	X	6.000	1	1	250	N/A	12	OH
<b>NEW!</b>	BD-4-6-250-OR	Orange	4.000	X	6.000	1	1	250	N/A	12	OH
<b>NEW!</b>	BD-4-65-230-YL	Yellow	4.000	X	6.500	1	1	230	N/A	12	OH
<b>NEW!</b>	BD-4-65-230-RD	Red	4.000	X	6.500	1	1	230	N/A	12	OH
<b>NEW!</b>	BD-4-65-230-BL	Blue	4.000	X	6.500	1	1	230	N/A	12	OH
<b>NEW!</b>	BD-4-65-230-GR	Green	4.000	X	6.500	1	1	230	N/A	12	OH
<b>NEW!</b>	BD-4-65-230-OR	Orange	4.000	X	6.500	1	1	230	N/A	12	OH

PMS Colors: Pantone Yellow 80% Screen, 032 Red 80% Screen, 292 Blue 80% Screen, 345 Green 80% Screen, 1505 Orange 80% Screen



**Liner-free Repositionable Direct Thermal Rolls**

BIS Part #	Width Inches	X	Length Feet	O.D.	Core Size	Gauge / gm	Approx Wt / Case	Rolls / Mstr Case	Stocking Locations
------------	--------------	---	-------------	------	-----------	------------	------------------	-------------------	--------------------

**Premium, Center Adhesive, 80gsm, 20# Base Direct Thermal Roll**

MS318150-24	3.125"	X	150'	3"	1"	80	17	24	PA
MS214150-24	2.25"	X	150'	3"	1"	80	13	24	PA
MS21460	2.25"	X	60'	1.875"	.5"	80	19	72	PA

BIS Part #	Width Inches	X	Length Feet	O.D.	Core Size	Gauge / gm	Approx Wt / Case	Rolls / Mstr Case	Stocking Locations
------------	--------------	---	-------------	------	-----------	------------	------------------	-------------------	--------------------

**2 Go, Center Adhesive, 55gsm, 15# Base Direct Thermal Roll**

MS3181602GO-24	3.125"	X	160'	2.93"	1"	55	14	24	PA
MS2141602GO-24	2.25"	X	160'	2.93"	1"	55	11	24	PA
MS214782GO	2.25"	X	78'	1.875"	.5"	55	17	72	PA

**Premium, Side Edge Adhesive, 80gsm, 20# Base Direct Thermal Roll**

MS318150SE-24	3.125"	X	150'	3"	1"	80	17	24	PA
MS214150SE-24	2.25"	X	150'	3"	1"	80	13	24	PA
MS21460SE	2.25"	X	60'	1.875"	.5"	80	19	72	PA

**2Go, Side Edge Adhesive, 55gsm, 15# Base Direct Thermal Roll**

MS3181602GOSE-24	3.125"	X	160'	2.93"	1"	55	14	24	PA
MS2141602GOSE-24	2.25"	X	160'	2.93"	1"	55	11	24	PA
MS214782GOSE	2.25"	X	78'	1.875"	.5"	55	17	72	PA

**Colors, Side Edge Adhesive, 55gsm, 15# Base Direct Thermal Roll**

MS3181602GOSEB-24	Blue	3.125"	X	160'	2.93"	1"	55	14	24	PA
MS3181602GOSEG-24	Green	3.125"	X	160'	2.93"	1"	55	14	24	PA
MS3181602GOSEC-24	Canary	3.125"	X	160'	2.93"	1"	55	14	24	PA
MS3181602GOSEP-24	Pink	3.125"	X	160'	2.93"	1"	55	14	24	PA
MS3181602GOSEO-24	Orange	3.125"	X	160'	2.93"	1"	55	14	24	PA
MS3181602GOSEV-24	Violet	3.125"	X	160'	2.93"	1"	55	14	24	PA

**Diamond Pattern Adhesive, 80gsm, 20# Base Direct Thermal Roll**

MS214170PLUSD	2.25"	X	170'	3.25"	1"	80	19	32	PA
MS318170PLUSD	3.125"	X	170'	3.25"	1"	80	21	32	PA

**Full Coverage Adhesive, 80gsm, 20# Base Direct Thermal Roll**

MS214150X2-24	2.25"	X	150'	3"	1"	80	13	24	PA
MS318150X2-24	3.125"	X	150'	3"	1"	80	17	24	PA
MS4316150X2-24	4.1875"	X	150'	3"	1"	80	23	24	PA
MS21460X2	2.25"	X	60'	1.875"	.5"	80	19	72	PA

**Laser Sheets**

BIS Part #	Diagram Pg 22-23	Width	X	Length	Lbls / Sheet	Sheets / Pack	Approx Wt / Case	Radius Corners	Labels / Pack	Stocking Locations
------------	------------------	-------	---	--------	--------------	---------------	------------------	----------------	---------------	--------------------

**EDP Laser Sheets, Permanent Adhesive, Also Compatible with Ink Jet Printers**

BL-1-1-80	1	1	X	1	80	100	26	No	8000	OH
BL-15-050-100	2	1.500	X	0.500	100	100	26	No	10,000	OH
BL-15-1-50-RC	3	1.500	X	1.000	50	100	26	Yes	5000	OH
BL-175-050-80-RC	4	1.750	X	0.500	80	100	26	Yes	8000	OH
BL-175-1-44	5	1.750	X	1.000	44	100	26	No	4400	OH
BL-25-1563-18-RC	6	2.500	X	1.563	18	100	26	Yes	1800	OH
BL-2625-1-30-RC	7	2.625	X	1.000	30	100	26	Yes	3000	OH
BL-2833-1-33	8	2.833	X	1.000	33	100	26	No	3300	OH

continued...

BIS Part #	Diagram Pg 22-23	Width	X	Length	Lbls / Sheet	Sheets / Pack	Approx Wt / Case	Radius Corners	Labels / Pack	Stocking Locations
------------	------------------	-------	---	--------	--------------	---------------	------------------	----------------	---------------	--------------------

**EDP Laser Sheets, Permanent Adhesive, Also Compatible with Ink Jet Printers (continued)**

BL-2833-1375-24	9	2.833	X	1.375	24	100	26	No	2400	OH
BL-35-075-28-RC	10	3.500	X	0.750	28	100	26	Yes	2800	OH
BL-4-1-20-RC	11	4.000	X	1.000	20	100	26	Yes	2000	OH
BL-4-133-14-RC	12	4.000	X	1.333	14	100	26	Yes	1400	OH
BL-4-15-12-RC *	13	4.000	X	1.500	12	100	26	Yes	1200	OH
BL-4-175-12-RC	14	4.000	X	1.750	12	100	26	Yes	1200	OH
BL-4-2-10-RC	15	4.000	X	2.000	10	100	26	Yes	1000	OH
BL-4-333-6-RC	16	4.000	X	3.330	6	100	26	Yes	600	OH
BL-4-5-4-RC	17	4.000	X	5.000	4	100	26	Yes	400	OH
BL-425-1-22	18	4.250	X	1.000	22	100	26	No	2200	OH
BL-425-15-14	19	4.250	X	1.500	14	100	26	No	1400	OH
BL-425-2-10	20	4.250	X	2.000	10	100	26	No	1000	OH
BL-425-275-8	21	4.250	X	2.750	8	100	26	No	800	OH
BL-425-55-4	22	4.250	X	5.500	4	100	26	No	400	OH
BL-85-35-3	23	8.500	X	3.500	3	100	26	No	300	OH
BL-85-55-2	24	8.500	X	5.500	2	100	26	No	200	OH
BL-85-11-1 Backscore	25	8.500	X	11.000	1	100	26	No	100	OH

\* Perfed vertically down center through face stock and liner

**Circles, EDP Laser Sheets, Permanent Adhesive, Also Compatible with Ink Jet Printers**

BL-1-C-63	26	1.0" Diam. Circle			63	100	26	Yes	6300	OH
BL-15-C-24	27	1.5" Diam. Circle			24	100	26	Yes	2400	OH
BL-25-C-12	28	2.5" Diam. Circle			12	100	26	Yes	1200	OH

**Fluorescent EDP Laser Sheets, Permanent Adhesive, Available in Red & Green**

BL-2625-1-30-G	7	2.625	X	1.000	30	100	26	Yes	3000	OH
BL-2625-1-30-R	7	2.625	X	1.000	30	100	26	Yes	3000	OH
BL-4-2-10-G	15	4.000	X	2.000	10	100	26	Yes	1000	OH
BL-4-2-10-R	15	4.000	X	2.000	10	100	26	Yes	1000	OH
BL-4-333-6-G	16	4.000	X	3.330	6	100	26	Yes	600	OH
BL-4-333-6-R	16	4.000	X	3.330	6	100	26	Yes	600	OH
BL-85-11-1-G	25	8.500	X	11.000	1	100	26	No	100	OH
BL-85-11-1-R	25	8.500	X	11.000	1	100	26	No	100	OH
BL-166-CIR-24-G	29	1.66" Diam. Circle			24	100	26	No	2400	OH
BL-166-CIR-24-R	29	1.66" Diam. Circle			24	100	26	No	2400	OH
BL-25-CIR-12-G	28	2.5" Diam. Circle			12	100	26	No	1200	OH
BL-25-CIR-12-R	28	2.5" Diam. Circle			12	100	26	No	1200	OH

**Removable EDP Laser Sheets, Removable Adhesive**

BL-2625-1-30-REM	7	2.625	X	1.000	30	100	26	Yes	3000	OH
BL-4-2-10-REM	15	4.000	X	2.000	10	100	26	Yes	1000	OH

**Ultra Removable EDP Laser Sheets, Ultra Removable Adhesive**

BL-4-2-10-UR	15	4.000	X	2.000	10	100	26	Yes	1000	OH
BL-4-5-4-UR	17	4.000	X	5.000	4	100	26	Yes	400	OH

BIS Part #	Diagram Pg 22-23	Width	X	Length	Lbls / Sheet	Sheets / Pack	Approx Wt / Case	Radius Corners	Labels / Pack	Stocking Locations
------------	------------------	-------	---	--------	--------------	---------------	------------------	----------------	---------------	--------------------

**Clear Polyester Laser Sheets, Permanent Adhesive**

BL-2625-1-30-CL	7	2.625	X	1.000	30	100	26	Yes	3000	OH
BL-4-2-10-CL	15	4.000	X	2.000	10	100	26	Yes	1000	OH

**White Polyester Laser Sheets, Permanent Adhesive**

BL-2625-1-30-WH	7	2.625	X	1.000	30	100	26	Yes	3000	OH
BL-4-2-10-WH	15	4.000	X	2.000	10	100	26	Yes	1000	OH

**Compact Disc EDP/Semi-Gloss Laser Sheets, Permanent Adhesive**

BL-45-CD-2 EDP	30	4.5" Diam. Circle			2	100	26	No	200	OH
BL-45-CD-2-SG Semi-G	30	4.5" Diam. Circle			2	100	26	No	200	OH

EDP is compatible with ink jet printers, Semi-Gloss is not compatible

**Laser Semi-Gloss Sheet, Permanent Adhesive**

BL-2625-1-30-5-SG	7	2.625	X	1.000	30	100	26	Yes	3000	OH
BL-4-2-10-SG	15	4.000	X	2.000	10	100	26	Yes	1000	OH
BL-4-333-6-SG	16	4.000	X	3.330	6	100	26	Yes	600	OH
BL-4-5-4-SG	17	4.000	X	5.000	4	100	26	Yes	400	OH
BL-85-11-1-SG	25	8.500	X	11.000	1	100	26	No	100	OH

**Laser Foil Sheets, Permanent Adhesive**

BL-166-CIR-24-SLV	29	1.66" Diam. Circle			24	100	26	No	2400	OH
BL-166-CIR-24-GLD	29	1.66" Diam. Circle			24	100	26	No	2400	OH
BL-2625-1-30-SLV	7	2.625	X	1.000	30	100	26	Yes	3000	OH
BL-2625-1-30-GLD	7	2.625	X	1.000	30	100	26	Yes	3000	OH

Colors available: Silver and Gold

**Laser Drum Label (Vinyl), Permanent Adhesive**

BL-81875-1075-1-DR	31	8.1875	X	10.75	1	100	26	Yes	100	OH
--------------------	----	--------	---	-------	---	-----	----	-----	-----	----

**8.5" X 11" EDP Laser Price Marking, Permanent Adhesive**

BL-1-1-80-PM	32	1.000	X	1.000	80	100	26	No	8000	OH
--------------	----	-------	---	-------	----	-----	----	----	------	----

**8.5" X 11" EDP Laser File Folder, Blanks & 1/8" Colored Bar Across Top of Labels**





















BL-3438-0667-30	33	3.438	X	0.667	30	100	26	Yes	3000	OH
BL-3438-0667-YL	34	3.438	X	0.667	30	100	26	Yes	3000	OH
BL-3438-0667-RD	34	3.438	X	0.667	30	100	26	Yes	3000	OH
BL-3438-0667-GR	34	3.438	X	0.667	30	100	26	Yes	3000	OH


















Colors from top to bottom: Blank/White, Pantone Yellow, Pantone Red 032, Pantone 339 Green

**8.5" X 14" EDP Laser Sheets, Permanent Adhesive**

BL-425-14-2 *	35	4.250	X	14.000	2	100	30	No	200	OH
BL-4-6-4	36	4.000	X	6.000	4	100	30	No	400	OH
BL-85-14-1 Backscore	37	8.500	X	14.000	1	100	30	No	100	OH

\* Perfed horizontally at 7" through face stock and liner

 1 x 1 80 PER SHEET	 1 1/2 x 1/2 100 PER SHEET	 1 1/2 x 1 50 PER SHEET	 1 3/4 x 1/2 80 PER SHEET	 1 3/4 x 1 44 PER SHEET
 2 1/2 x 1 9/16 18 PER SHEET	 2 5/8 x 1 30 PER SHEET	 2.833 x 1 33 PER SHEET	 2.833 x 1 3/8 24 PER SHEET	 3 1/2 x 3/4 28 PER SHEET
 4 x 1 20 PER SHEET	 4 x 1.33 14 PER SHEET	 4 x 1 1/2 12 PER SHEET	 4 x 1 3/4 12 PER SHEET	 4 x 2 10 PER SHEET
 4 x 3 1/3 6 PER SHEET	 4 x 5 4 PER SHEET	 4 1/4 x 1 22 PER SHEET	 4 1/4 x 1 1/2 14 PER SHEET	 4 1/4 x 2 10 PER SHEET

 4 1/4 x 2 3/4 8 PER SHEET	 4 1/4 x 5 1/2 4 PER SHEET	 8 1/2 x 3 1/2 3 PER SHEET	 8 1/2 x 5 1/2 2 PER SHEET	 8 1/2 x 11 1 PER SHEET
 1" DIAMETER 63 PER SHEET	 1 1/2" DIAMETER 24 PER SHEET	 2 1/2" DIAMETER 12 PER SHEET	 1.66" DIAMETER 24 PER SHEET	 4 1/2" DIAMETER 2 PER SHEET
 8 3/16 x 10 3/4 1 PER SHEET	 1 x 1 80 PER SHEET	 3 7/16 x .667 30 PER SHEET	 3 7/16 x .667 PRINTED 30 PER SHEET	
 4 1/4 x 14 2 PER SHEET	 4 x 6 4 PER SHEET	 8 1/2 x 14 1 PER SHEET	8 1/2 X 14	

## Integrated Label Sheets

BIS Part #	Diagram Pg 25	Label Width	X	Label Length	Labels / Sheet	Sheets / Case	Approx Wt / Case	Rounded Corners	Stocking Locations
------------	---------------	-------------	---	--------------	----------------	---------------	------------------	-----------------	--------------------

### Preprinted Invoice, 8.5" x 11" White 24lb Bond Laser Sheet, Permanent Adhesive

BI-Invoice-1	1	4	X	6	1	1500	25	Yes	IL
--------------	---	---	---	---	---	------	----	-----	----

PMS Color: Reflex Blue

### Pharmacy Form, 8.5" x 11" White 24 lb Bond Laser Sheet, Permanent Adhesive

BI-PHARM-8	2	4	X	6	8	1500	23	Yes & No	IL
------------	---	---	---	---	---	------	----	----------	----

8 pressure sensitive labels at the top, 4 bond paper tear offs at the bottom.

BIS Part #	Diagram Pg 25	Card Width	X	Card Length	Cards / Sheet	Sheets / Case	Approx Wt / Case	Rounded Corners	Stocking Locations
------------	---------------	------------	---	-------------	---------------	---------------	------------------	-----------------	--------------------

### Membership Cards, 8.5" x 11" White 80 lb Bond Laser Sheet, No Adhesive

BI-3375-2125-CARDS-2	3	3.375	X	2.125	2	1000	35	Yes	IL
BI-3375-2125-CARDS-2-FOLD	3	3.375	X	2.125	2	1000	35	Yes	IL

NEW!  
NEW!

BIS Part #	Diagram Pg 25	Label W / mm	X	Label L / mm	Labels / Sheet	Sheets / Pack	Approx Wt / Case	Rounded Corners	Stocking Locations
------------	---------------	--------------	---	--------------	----------------	---------------	------------------	-----------------	--------------------

### European A4 Size, 210 mm x 297 mm, White 24 lb Bond Laser Sheet, Permanent Adhesive

BIA4-102-64-1-Left	4	102	X	64	1	1500	23	Yes	IL
BIA4-102-64-1-Left-NP No Perf	4	102	X	64	1	1500	23	Yes	IL
BIA4-102-64-2-RC	5	102	X	64	2	1500	23	Yes	IL
BIA4-102-64-2-NP No Perf	5	102	X	64	2	1500	23	Yes	IL
BIA4-202-89-1-RC	6	202	X	89	1	1500	23	Yes	IL

BIS Part #	Diagram Pg 26-27	Label Width	X	Label Length	Labels / Sheet	Sheets / Case	Approx Wt / Case	Rounded Corners	Stocking Locations
------------	------------------	-------------	---	--------------	----------------	---------------	------------------	-----------------	--------------------

### 8.5" x 11" White 24 lb Bond Laser Sheet, Permanent Adhesive

BI-2-1-4-RC	7	2	X	1	4	1500	23	Yes	IL
BI-2-1-8	8	2	X	1	8	1500	23	No	IL
BI-25-125-2-Left	6	2.5	X	1.25	2	1500	23	Yes	IL
BI-25625-1-3-RC	10	2.5625	X	1	3	1500	23	Yes	IL
BI-35-15-2-RC	11	3.5	X	1.5	2	1500	23	Yes	IL
BI-35-2-1-Left	12	3.5	X	2	1	1500	23	Yes	IL
BI-35-2-1-Right	13	3.5	X	2	1	1500	23	Yes	IL
BI-35-2-2-RC	14	3.5	X	2	2	1500	23	Yes	IL
BI-35-2-4	15	3.5	X	2	4	1500	24	No	IL
BI-35-275-2-RC	16	3.5	X	2.75	2	1500	23	Yes	IL
BI-35-275-2-NP No Perf	16	3.5	X	2.75	2	1500	23	Yes	IL
BI-4-25-1-Left	17	4	X	2.5	1	1500	23	Yes	IL
BI-4-25-1-Left-NP No Perf	17	4	X	2.5	1	1500	23	Yes	IL
BI-4-25-1-Right	18	4	X	2.5	1	1500	23	Yes	IL
BI-4-25-2-RC	19	4	X	2.5	2	1500	23	Yes	IL
BI-4-25-2-NP No Perf	19	4	X	2.5	2	1500	23	Yes	IL
BI-4-2875-2-RC	20	4	X	2.875	2	1500	23	Yes	IL

continued...


BIS Part #	Diagram Pg 26-27	Label Width	X	Label Length	Labels / Sheet	Sheets / Case	Approx Wt / Case	Rounded Corners	Stocking Locations
------------	------------------	-------------	---	--------------	----------------	---------------	------------------	-----------------	--------------------

### 8.5" x 11" White 24 lb Bond Laser Sheet, Permanent Adhesive (continued)

BI-4-6-1-Mail Order	21	4	X	6	1	1500	25	Yes	IL
BL-4125-4-1-Right	22	4.125	X	4	1	1500	24	Yes	
BL-6-4-1-Left	23	6	X	4	1	1500	24	Yes	IL
BL-6-4-1-Right	24	6	X	4	1	1500	24	Yes	IL
BL-6&2-4-2	25	6 & 2	X	4	2	1500	30	No	IL
BI-6&2-4-2-NP No Perf	25	6 & 2	X	4	2	1500	24	No	IL
BI-USPS-Click-N-Ship®	26	6.8125	X	4.75	1	1500	25	Yes	IL
BI-7-425-1-PAY-PAL	27	7	X	4.25	1	1500	24	No	IL
BI-75-5125-1-RC	28	7.5	X	5.125	1	1500	25	Yes	IL
BI-8-35-1-RC	29	8	X	3.5	1	1500	23	Yes	IL


### 8.5" x 14" White 24 lb Bond Laser Sheet, Permanent Adhesive

BI-2-1-4-14RC	30	2	X	1	4	1500	29	Yes	IL
BL-25625-1-3-14RC	31	2.5625	X	1	3	1500	29	Yes	IL
BL-35-15-2-14RC	32	3.5	X	1.5	2	1500	29	Yes	IL
BL-35-2-1-14Left	33	3.5	X	2	1	1500	29	Yes	IL
BI-35-2-1-14Right	34	3.5	X	2	1	1500	29	Yes	IL
BI-35-2-2-14RC	35	3.5	X	2	2	1500	29	Yes	IL
BI-4-25-1-14Right	36	4	X	2.5	1	1500	29	Yes	IL
BI-6-4-1-14Left	37	6	X	4	1	1500	30	Yes	IL
BI-6-4-1-14Right	38	6	X	4	1	1500	30	Yes	IL




PREPRINTED INVOICE

4" x 6" - 1 Up Label is 1/4" from top and 1/2" from right




PHARMACY FORM

8 pressure sensitive labels at top 4 bond paper tear offs below




3/8" x 2 1/8" Cards - 2 Up

Cards are 3/4" from left and right 1" from bottom




102 mm x 64 mm Label - 1 Up

Label is 6.35 mm from left 22.225 mm from bottom



102 mm x 64 mm Label - 2 Up

Labels are 3 mm from left & right 22.225 mm from bottom



202 mm x 89 mm Label - 1 Up

Label is 4 mm from left & right 22.225 mm from bottom

<p><b>2"x 1" Label - 4 Up</b> Labels are 1/4" from left &amp; right 3/8" from bottom</p>	<p><b>2" x 1" Label - 8 Up</b> Labels are 1/4" from right and left 3/8" from bottom</p>	<p><b>2 1/2" x 1 1/4" Label - 2 Up</b> Labels are 3/4" from left 3/4" from bottom</p>	<p><b>2 9/16"x 1" Label - 3 Up</b> Labels are 3/8" from left &amp; right 3/8" from bottom</p>	<p><b>3 1/2"x 1 1/2" Label - 2 Up</b> Labels are 3/4" from left &amp; right 1/2" from bottom</p>	<p><b>7"x 4 1/4" Label - 1 Up</b> Label is 3/4" from left and right 1" from bottom</p>	<p><b>7 1/2"x 5 1/8" Label - 1 Up</b> Label is 1/2" from left &amp; right 1/2" from bottom</p>	<p><b>8"x 3 1/2" Label - 1 Up</b> Label is 1/4" from left &amp; right 3/8" from bottom</p>	<p><b>8 1/2" x 14"</b>  <i>only with perf</i> (3" from bottom)</p>
<p><b>3 1/2"x 2" Label - 1 Up</b> Label is 1/4" from left 1/8" from bottom</p>	<p><b>3 1/2"x 2" Label - 1 Up</b> Labels are 3/4" from right 3/8" from bottom</p>	<p><b>3 1/2"x 2" Label - 2 Up</b> Labels are 3/4" from left &amp; right 1/8" from bottom</p>	<p><b>3 1/2"x 2" Label - 4 Up</b> Labels are 3/4" from left &amp; right 3/8" from bottom</p>	<p><b>3 1/2"x 2 3/4" Label - 2 Up</b> Labels are 1/2" from left &amp; right 1/2" between labels, 3/8" from bottom</p>	<p><b>8 1/2" x 14"</b>  <i>only with perf</i> (3" from bottom)</p>	<p><b>8 1/2" x 14"</b>  <i>only with perf</i> (3" from bottom)</p>	<p><b>8 1/2" x 14"</b>  <i>only with perf</i> (3 1/4" from bottom)</p>	<p><b>8 1/2" x 14"</b>  <i>only with perf</i> (3" from bottom)</p>
<p><i>with or without perf</i> (3 3/4" from bottom)</p> <p><b>4"x 2 1/2" Label - 1 Up</b> Label is 1/4" from left 1/8" from bottom</p>	<p><b>4"x 2 1/2" Label - 1 Up</b> Label is 1/4" from right 1/8" from bottom</p>	<p><i>with or without perf</i> (3 3/4" from bottom)</p> <p><b>4"x 2 1/2" Label - 2 Up</b> Labels are 3/16" from left &amp; right 1/8" between labels, 1/8" from bottom</p>	<p><i>only with perf</i> (3 3/4" from bottom)</p> <p><b>4"x 2 7/8" Label - 2 Up</b> Labels are 1/4" from left &amp; right 3/8" from bottom</p>	<p><b>4"x 6" Label - 1 Up</b> Label is 1/2" from right 1/4" from top</p>	<p><b>2 9/16" x 1" Label - 3 Up</b> Labels are 3/8" from left &amp; right 3/8" from bottom</p>	<p><b>3 1/2" x 1 1/2" Label - 2 Up</b> Labels are 3/4" from left &amp; right 1/2" from bottom</p>	<p><b>3 1/2" x 2" Label - 1 Up</b> Label is 1/4" from left 1/8" from bottom</p>	<p><b>3 1/2" x 2" Label - 1 Up</b> Label is 3/4" from right 3/8" from bottom</p>
<p><b>4 1/8"x 4" Label - 1 Up</b> Label is 1/4" from right 1/4" from bottom</p>	<p><i>with perf only</i> (4 5/8" from bottom)</p> <p><b>6"x 4" Label - 1 Up</b> Label is 1/8" from left 1/4" from bottom</p>	<p><i>with perf only</i> (4 5/8" from bottom)</p> <p><b>6"x 4" Label - 1 Up</b> Label is 1/8" from right 1/4" from bottom</p>	<p><i>with or without perf</i> (4 27/32" from bottom)</p> <p><b>6"x 4" &amp; 2"x 4" Label - 2 Up</b> Labels are 1/4" from right and left 1/2" from bottom</p>	<p><b>Click-N-Ship</b> Works with U.S. Post Office website Click-N-Ship.com</p> <p><i>only with perf</i> (5 1/2" from bottom)</p> <p><b>6 13/16" x 4 3/4" Label - 1 Up</b> Label is 9/16" from left 3/8" from top</p>	<p><i>only with perf</i> (3 1/4" from bottom)</p> <p><b>3 1/2" x 2" Label - 2 Up</b> Label are 3/4" from left &amp; right 3/8" from bottom</p>	<p><i>only with perf</i> (3 3/4" from bottom)</p> <p><b>4 x 2 1/2" Label - 1 Up</b> Label is 1/4" from right 1/8" from bottom</p>	<p><i>only with perf</i> (4 5/8" from bottom)</p> <p><b>6" x 4" Label - 1 Up</b> Label is 1/4" from left 1/4" from bottom</p>	<p><i>only with perf</i> (4 5/8" from bottom)</p> <p><b>6" x 4" Label - 1 Up</b> Label is 1/8" from right 1/4" from bottom</p>


## Inventory Control Labels

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

### 1 1/2" Circles, Thermal Transfer, Preprinted 0 Thru 9, 5" O.D., No Perf, Wound Out, 3" Core

IP-15-CIRCLE-0	0	1.5" Diam. Circle	1	3	1000	3.3	4	OH
IP-15-CIRCLE-1	1	1.5" Diam. Circle	1	3	1000	3.3	4	OH
IP-15-CIRCLE-2	2	1.5" Diam. Circle	1	3	1000	3.3	4	OH
IP-15-CIRCLE-3	3	1.5" Diam. Circle	1	3	1000	3.3	4	OH
IP-15-CIRCLE-4	4	1.5" Diam. Circle	1	3	1000	3.3	4	OH
IP-15-CIRCLE-5	5	1.5" Diam. Circle	1	3	1000	3.3	4	OH
IP-15-CIRCLE-6	6	1.5" Diam. Circle	1	3	1000	3.3	4	OH
IP-15-CIRCLE-7	7	1.5" Diam. Circle	1	3	1000	3.3	4	OH
IP-15-CIRCLE-8	8	1.5" Diam. Circle	1	3	1000	3.3	4	OH
IP-15-CIRCLE-9	9	1.5" Diam. Circle	1	3	1000	3.3	4	OH

PMS Colors: 0 - 345 Green Reverse, 1 - 032 Red Reverse, 2 - Black on 290 Blue, 3 - Black on Pantone Yellow, 4 - 424 Grey Reverse, 5 - 1495 Orange Reverse, 6 - 265 Purple Reverse, 7 - 301 Blue Reverse, 8 - Black on White, 9 - 4705 Brown Reverse



PMS 345 GREEN REVERSE



PMS 032 RED REVERSE



BLACK ON PMS 290 BLUE



BLACK ON PANTONE YELLOW



PMS 424 GRAY REVERSE



PMS 1495 ORANGE REVERSE



PMS 265 PURPLE REVERSE



PMS 301 BLUE REVERSE



BLACK ON WHITE



PMS 4705 BROWN REVERSE

### 1 1/2" Circles, Thermal Transfer, Preprinted Days, 5" O.D., No Perf, Wound Out, 3" Core

MP-15-CIR-SUN	SUN	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-MON	MON	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-TUE	TUE	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-WED	WED	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-THUR	THUR	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-FRI	FRI	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-SAT	SAT	1.5" Diam. Circle	1	3	1000	3.3	4	OH



PMS 032 RED REVERSE



PMS 345 GREEN REVERSE



BLACK ON PMS 290 BLUE



BLACK ON PANTONE YELLOW



PMS 424 GRAY REVERSE



PMS 1495 ORANGE REVERSE



PMS 265 PURPLE REVERSE

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

### 1 1/2" Circles, Thermal Transfer, Preprinted Months, 5" O.D., No Perf, Wound Out, 3" Core

MP-15-CIR-JAN	JAN	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-FEB	FEB	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-MAR	MAR	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-APR	APR	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-MAY	MAY	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-JUN	JUN	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-JUL	JUL	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-AUG	AUG	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-SEP	SEP	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-OCT	OCT	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-NOV	NOV	1.5" Diam. Circle	1	3	1000	3.3	4	OH
MP-15-CIR-DEC	DEC	1.5" Diam. Circle	1	3	1000	3.3	4	OH



PMS 032 RED REVERSE



PMS 345 GREEN REVERSE



PMS 301 BLUE REVERSE



PMS 1495 ORANGE REVERSE



MAGENTA REVERSE



BLACK ON PANTONE YELLOW



BLACK ON PMS 1905 PINK



BLACK ON PMS 290 BLUE



PMS 424 GRAY REVERSE



PMS 4705 BROWN REVERSE



PMS 345 GREEN REVERSE



PMS 265 PURPLE REVERSE

### 1 1/2" Circles, Thermal Transfer, Preprinted, 5" O.D., No Perf, Wound Out, 3" Core

QC-15-CIR-01	1.5" Diam. Circle	1	3	1000	3.3	4	OH
<b>OK TO USE (Green Reverse)</b>							
QC-15-CIR-02	1.5" Diam. Circle	1	3	1000	3.3	4	OH
<b>OK, Q.C., BY (Green on White)</b>							
QC-15-CIR-03	1.5" Diam. Circle	1	3	1000	3.3	4	OH
<b>INSPECTED, BY, DATE (Black on White)</b>							
QC-15-CIR-04	1.5" Diam. Circle	1	3	1000	3.3	4	OH
<b>INSPECTED (Green Reverse)</b>							
QC-15-CIR-05	1.5" Diam. Circle	1	3	1000	3.3	4	OH
<b>TESTED (Black on Yellow)</b>							
QC-15-CIR-06	1.5" Diam. Circle	1	3	1000	3.3	4	OH
<b>HOLD (Red Reverse)</b>							
QC-15-CIR-07	1.5" Diam. Circle	1	3	1000	3.3	4	OH
<b>ACCEPTED, BY, DATE (Green Reverse)</b>							
















continued...



BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**1 1/2" Circles, Thermal Transfer, Preprinted, 5" O.D., No Perf, Wound Out, 3" Core (continued)**

QC-15-CIR-08	1.5" Diam. Circle			1	3	1000	3.3	4	OH
<i>EXPIRATION, BY, DATE (Black on Yellow)</i>									
QC-15-CIR-09	1.5" Diam. Circle			1	3	1000	3.3	4	OH
<i>CHECKMARK (Green Reverse)</i>									
QC-15-CIR-10	1.5" Diam. Circle			1	3	1000	3.3	4	OH
<i>REJECTED (Red Reverse)</i>									
QC-15-CIR-11	1.5" Diam. Circle			1	3	1000	3.3	4	OH
<i>RETURN (Red Reverse)</i>									
QC-15-CIR-12	1.5" Diam. Circle			1	3	1000	3.3	4	OH
<i>HAS BEEN COUNTED (Black on Yellow)</i>									
QC-15-CIR-13	1.5" Diam. Circle			1	3	1000	3.3	4	OH
<i>COUNTED (Black on White)</i>									
QC-15-CIR-14	1.5" Diam. Circle			1	3	1000	3.3	4	OH
<i>RECEIVED, BY, DATE (Red on White)</i>									
QC-15-CIR-15	1.5" Diam. Circle			1	3	1000	3.3	4	OH
<i>FRAGILE (Red Reverse)</i>									

 01 PMS 345 GREEN REVERSE	 02 PMS 345 GREEN ON WHITE	 03 BLACK ON WHITE	 04 PMS 345 GREEN REVERSE	 05 BLACK ON YELLOW
 06 PMS 032 RED REVERSE	 07 PMS 345 GREEN REVERSE	 08 BLACK ON YELLOW	 09 PMS 345 GREEN REVERSE	 10 PMS 032 RED REVERSED
 11 PMS 032 RED REVERSED	 12 BLACK ON YELLOW	 13 BLACK ON WHITE	 14 PMS 032 RED ON WHITE	 15 PMS 032 RED REVERSE

## Handling Labels

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Carton	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	----------------	--------------------

**Thermal Transfer, Preprinted, Permanent Adhesive, 5" O.D., Perfed Each, Wound Out, 3" Core**

QC-2-3-500-UP	2.000	X	3.000	1	3	500	3	3	OH
<i>THIS SIDE UP (PMS 032 Red on White)</i>									
QC-3-5-500-GLASS	3.000	X	5.000	1	3	500	8	3	OH
<i>PLEASE HANDLE WITH CARE, GLASS, THANK YOU (PMS 032 Red on White)</i>									
QC-3-5-500-FRAGILE	3.000	X	5.000	1	3	500	8	3	OH
<i>PLEASE HANDLE WITH CARE, FRAGILE, THANK YOU (PMS 032 Red on White)</i>									
QC-3-5-500-LIQUID	3.000	X	5.000	1	3	500	8	3	OH
<i>FRAGILE, LIQUID, HANDLE WITH CARE (PMS 032 Red on White)</i>									
QC-3-5-500-DROP	3.000	X	5.000	1	3	500	8	3	OH
<i>PLEASE HANDLE WITH CARE, DO NOT DROP, THANK YOU (PMS 032 Red on White)</i>									
QC-3-5-500-CRUSH	3.000	X	5.000	1	3	500	8	3	OH
<i>ELECTRONIC MATERIAL, DON'T DROP, DON'T CRUSH (PMS 032 Red on White)</i>									
QC-3-5-500-DI1	3.000	X	5.000	1	3	500	8	3	OH
<i>DELICATE INSTRUMENTS, HANDLE WITH GREAT CARE (PMS 032 Red on White)</i>									
QC-3-5-500-DI2	3.000	X	5.000	1	3	500	8	3	OH
<i>HANDLE WITH CARE, DELICATE INSTRUMENTS, FRAGILE (PMS 032 Red on White)</i>									

## Made in the U. S. A. Labels

BIS Part #	Width	X	Length	Nbr Up	Core Size	Labels / Roll	Approx Wt / Case	Rolls / Case	Stocking Locations
------------	-------	---	--------	--------	-----------	---------------	------------------	--------------	--------------------

**Thermal Transfer, Preprinted, Permanent Adhesive, 5" O.D., Perfed Each, Wound Out, 3" Core**

QC-15-CIR-500-USA	1.500	X	1.500	1	3	500	3	3	OH
-------------------	-------	---	-------	---	---	-----	---	---	----

**BE AMERICAN BUY AMERICAN (4 COLOR PROCESS)**

QC-2-3-500-FLAG	2.000	X	3.000	1	3	500	3	3	OH
-----------------	-------	---	-------	---	---	-----	---	---	----

**MADE IN THE U. S. A. (RED & BLUE ON WHITE)**

QC-3-5-500-STATES	3.000	X	5.000	1	3	500	11	4	OH
-------------------	-------	---	-------	---	---	-----	----	---	----


**MADE IN AMERICA (4 COLOR PROCESS)**

QC-3-5-500-STARS	3.000	X	5.000	1	3	500	11	4	OH
------------------	-------	---	-------	---	---	-----	----	---	----

**MADE IN THE U. S. A. (4 COLOR PROCESS)**



## Label Accessories




**Bottle-Matic (Single Label)**

10" width  
16" width

**Bottle-Matic II (Label Front and Back)**

10" width  
16" width

10" or 16" width Cylinder labeling machine. Label any cylindrical object fast and accurately from .5" to 8" diameter at speeds of 1200 pieces per hour! Bottle-Matic is the perfect machine for labeling your cylindrical objects! It can wrap your bottles, cans, tubes, and jars by simply pressing the foot switch! The Bottle-Matic can even label tapered objects without customizing.



**Flex+Matic**

16" width

Flex+Matic is a 16" width flat labeling machine. Label any flat object fast and accurately up to 1/4" thick at speeds up to 1000 pieces per hour!

Flex+Matic is the perfect machine for labeling your flat objects! Label envelopes, plastic bags (even bags with zippers), CD cases, PCBs, unfilled flexible packaging, and so on. Simply insert your flat object into the machine, adjust guides for vertical placement, and then adjust digital circuit for horizontal placement. Flex+Matic requires 7/8" from the leading edge to the start of the label.


**Zebra 105SL**

Zebra 105SL Direct Thermal-Thermal Transfer Barcode Printer (203 dpi, 4.09 Inch Print Width, 8 ips Print Speed, Serial and Parallel Interfaces, 6MB DRAM and 2MB Flash) combines enhanced memory, processing capacity and features rugged all-metal construction. Proven platform longevity plus fast processing and print speed make it the choice of experienced users who value reliability, productivity, consistent print quality, network compatibility, and superior service and support.




### GLU-100 Unwind

- Simple to Operate
- Industrial Strength
- Auto Speed Control
- Unwind Speed up to 24" / sec
- Label Widths from 1" to 9"
- Winds Labels In or Out



### GLR-100 Rewind

- Simple to Operate
- Industrial Strength
- Auto Speed Control
- Rewind speed up to 24" / sec
- Label Widths from 1" to 9"
- Winds Labels In or Out



### GLR-50 Label Rewinder

- Auto Speed Control
- Label Widths from 1" to 4"
- Winds Labels In or Out
- Standard 3" Core Holders
- 8" Diam Outer Disks
- Auto-Switching Universal Power Supply
- Direct & Thermal Transfer Printers



### Thermal Printer Cleaning Wipes

100 / box **Part # KK**

Barcode Industrial Systems' Cleaning Wipes are soft, fibrous, and super-saturated with 99.99% Isopropyl Alcohol. Tear open and wipe the heads, label path and other areas for your thermal printer or other equipment. Safe, easy, effective and economical.




### Thermal Printer Cleaning Cards

**Part # TPHCC-2-6** 2" x 6"  
**Part # TPHCC-4-6** 4" x 6"

25 / box, all sizes.

Barcode Industrial Systems' Cleaning Cards are conveniently presaturated with 99.99% Anhydrous Isopropanol to allow maximum effectiveness with minimal effort. Only BIS cards perform preventive maintenance and corrective maintenance. Also available for linerless label printers, pouched with a different solution.



### Thermal Printer Cleaning Pens

Thermal Printer Cleaning Pens 12 / box


**Part # CP-J**

Use on printers with easily accessible print heads. Barcode Industrial Systems's Cleaning Pens are filled with 99.99% Isopropyl Alcohol, and can be used multiple times. Simply swipe across the print head a few times and you're finished. To clean the soft pen tip, swipe it across a clean sheet of paper. The capillary wicking action keeps the alcohol flowing to the pen tip. Our pen's tip cannot be jammed up the pen's body, thereby preventing you from accidentally damaging your print head. Safe and easy to use.



### Select-a-Matic D-5

Select-a-matic D-5 power advance for pre-sort labels or printed roll labels (butt cut or die cut), up to 5 1/2" diameter.



### Dispensa-Matic U-45

Dispensa-matic U-45 power advance for one-up computer forms or printed labels in rolls 3/8" to 4 1/2" wide.




### Dispensa-Matic U-60

Dispensa-matic U-60 power advance for larger labels in rolls up to 6" wide.



### Simple Simon 4" width

Simple Simon 3 3/8" width manually operated, precision made metal dispenser for all types of roll labels...even thin ones.



### LDM Series

- 1) **LDM 450**
- 2) **LDM 850**
- 3) **LDM 1250**
- 4) **LDM 250**

Manual label dispensing made easy with the LDM Series of label dispensers. Our LDM series is convenient, durable, and economical. 6.5" Maximum roll diameter. 3"Core adapters available.

## Conditions and Guidelines

- We accept Visa and MasterCard.
- \$50 minimum order. Returns: \$30 restocking fee or 10% whichever is greater. No returns after 90 days from invoice date. No returns without authorization from factory. Prices subject to change without notice.
- RFID is subject to a 40% restocking fee.
- Returned merchandise must be in saleable condition.
- Last column pricing is achieved by meeting the dollar amount for each individual item. Items cannot be combined to achieve last column pricing.
- Items can be combined to meet the \$50 minimum order requirements.
- Stock laser sheet labels - packages of 100 cannot be broken.
- \$15 Handling fee for less than case quantities.
- \$7.50 Handling fee per ship to address for more than 3 locations.
- All stock labels are available perfed or non-perfed upon request at the same price listed in our catalog. Some stock items may be discontinued after completion of inventory. Contact your customer service representative for lead times. Note: Lead time could be up to two weeks for non-stock items.
- **Rework of Stock Labels to different size core and/or quantity per roll:**
  - 1) Limited to one case or 20,000 labels
  - 2) Cost: a flat \$50 fee plus the cost of labels
  - 3) Reworked product cannot be returned
- **Cancellation Policy:** Due to the customized process of each order, Barcode Industrial Systems is subject to charge a cancellation fee depending on the stage of order.

## How Laser Sheets are Packaged

- 100 sheets are in a pack, 10 packs are in a case
- Total = 1,000 sheets per case

## How Integrated Laser Sheets are Packaged

### Integrated Sheets:

- 250 sheets per chipboard lift, 6 lifts are in 1 poly bag per case
- Total=1,500 sheets per case

### Integrated Cards:

- 200 sheets per inner box, 5 inner boxes per case
- Total=1,000 sheets per case

## Placing Orders

- To minimize errors, please fax or email your order. Verbal orders are not accepted.
- All order changes, including shipping instructions, must be confirmed in writing.
- Custom orders are subject to a +/- 10% variance.
- Stock orders, requesting to ship same day, must be faxed or emailed no later than noon EST.
- Submission of orders infers that product has been tested and accepted in actual end-user environment.

## How to Read Part Numbers

**BT - 4 - 6 - 990 - 3**  
 Thermal Transfer 4" wide 990 per roll 3" core  
 6" long

**BD - 4 - 6 - 990 - 3**  
 Direct Thermal 4" wide 990 per roll 3" core  
 6" long

**BL - 2625 - 1 - 30 - RC**  
 Laser Sheets 2.625" wide 30 per sheet 1" long rounded corners

## Definitions


**Visible Light** - Most common technology, used with standard direct thermal chemistry.

**Near IR** - Dyes added to absorb light at 670 - 700 nm. Designed to filter out minor amounts of contaminants. Used in the Parcel Tracking Industry.

**Non-Topcoated Direct Thermal** - This material is an uncoated medium sensitivity product with excellent image quality with a permanent acrylic adhesive. Because this material is uncoated, it should be tested by the end user before ordering large quantities. This product should not be used in applications that require extreme environmental resistance.

**Topcoated Direct Thermal** - This material is a topcoated, medium sensitivity product with an acrylic permanent adhesive. This material has excellent image quality and it provides excellent results in most environmental conditions. We recommend that any direct thermal material be tested in an end-user application before ordering large quantities.

## Barcode Industrial Systems' Portfolio of Label Products



### Thermal Transfer Ribbons

Black, color, flexible packaging and super solvent resistant ribbons—Barcode Industrial Systems offers a whole catalog of thermal transfer ribbons from which to choose!



### Custom Labels & Tags

When it comes to customized labels, Barcode Industrial Systems does it all. We offer custom configurations, core sizes, inks, materials, varnishes, multi-laminates and adhesives to satisfy your needs.



### Digital Short to Medium Label Runs

Short to medium label runs with no plate or tooling charges! Our laser cutter allows you to cut your labels any shape imaginable. Visit our website for instant live pricing on digital labels.



### Promotional Labels & Cards

Coupons, game pieces, MailNotes®, charity labels, decals, static clings, sticker sheets and more! Barcode Industrial Systems' on-pack and in-pack promotions will motivate consumers to purchase your products.



### RFID Enabled Labels & Tags

Our proprietary printing process allows us to produce RFID enabled labels with accuracy and low rejection rates. Offering standard as well as custom solutions for a wide range of RFID applications.



### Variable Printing

In the age of traceability, everyone wants a code or mark. We offer digital and high speed, high resolution black variable print. Print variable 2D and 3D barcodes, QR codes, numbers, text and halftones.



8044 Montgomery Road, Suite 700 • Cincinnati, Ohio 45236

Phone: 1-888-710-5311 • Fax: 1-513-772-5544 • E-Mail: [info@barcodeis.com](mailto:info@barcodeis.com) • [www.barcodeis.com](http://www.barcodeis.com)